


Anti-Cytochrome b-c1 complex subunit 9/UQCR10 antibody [EPR8178] ab181154

重组 RabMAb

4 图像

概述

产品名称	Anti-Cytochrome b-c1 complex subunit 9/UQCR10抗体[EPR8178]
描述	兔单克隆抗体[EPR8178] to Cytochrome b-c1 complex subunit 9/UQCR10
宿主	Rabbit
经测试应用	适用于: IP, WB
种属反应性	与反应: Human 预测可用于: Mouse, Rat 
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性对照	HepG2, Jurkat, Saos-2 and HeLa cell lysates.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
存储溶液	Preservative: 0.01% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA
纯度	Tissue culture supernatant
克隆	单克隆
克隆编号	EPR8178

同种型IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab181154于以下的经测试应用
“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
IP		1/20 - 1/40.
WB		1/1000 - 1/10000. Detects a band of approximately 7 kDa (predicted molecular weight: 7 kDa).

靶标

相关性Function: This is a component of the ubiquinol-cytochrome c reductase complex (complex III or cytochrome b-c1 complex), which is part of the mitochondrial respiratory chain. This subunit interacts with cytochrome c1. Similarity: Belongs to the UQCR10/QCR9 family.

细胞定位Mitochondrial; Mitochondrion inner membrane


图片



Anti-Cytochrome b-c1 complex subunit 9/UQCR10 antibody [EPR8178] (ab181154) at 1/5000 dilution + HepG2 cell lysate at 10 µg

Secondary
Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 7 kDa
Observed band size: 7 kDa



All lanes : Anti-Cytochrome b-c1 complex subunit 9/UQCR10 antibody [EPR8178] (ab181154) at 1/1000 dilution

Lane 1 : Jurkat cell lysate

Lane 2 : Saos-2 cell lysate

Lane 3 : HeLa cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 7 kDa

Observed band size: 7 kDa



Western blot analysis of Cytochrome b-c1 complex subunit 9/UQCR10 in HepG2 cell lysate immunoprecipitated with ab181154 at 1/50 dilution.

Secondary antibody: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugate at 1/1000 dilution.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-Cytochrome b-c1 complex subunit 9/UQCR10
antibody [EPR8178] (ab181154)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors