abcam

Product datasheet

Anti-Cytokeratin 7 antibody ab53123

6 References 3 图像

概述

产**品名称** Anti-Cytokeratin 7抗体

描述 兔多克隆抗体to Cytokeratin 7

宿主 Rabbit

经测试应用 适用于: ICC/IF, WB, IHC-P

种属反应性 与反应: Human

免疫原 A synthetic peptide derived from human Cytokeratin 7.

阳性对照 HepG2 cell extracts and human breast carcinoma tissue.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 50% Glycerol (glycerin, glycerine), 0.87% Sodium chloride, PBS

Without Mg+2 and Ca+2

纯**度** Immunogen affinity purified

纯**化**说明 ab53123 was affinity purified from rabbit antiserum by affinity chromatography using epitope

specific immunogen.

克隆 多克隆

同种型 lgG

The Abpromise guarantee

Abpromise™承诺保证使用ab53123于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		Use a concentration of 1 - 5 μg/ml.
WB		1/300 - 1/1000. Detects a band of approximately 51 kDa (predicted molecular weight: 51 kDa).
IHC-P		Use at an assay dependent concentration.

靶标

功能 Blocks interferon-dependent interphase and stimulates DNA synthesis in cells. Involved in the

translational regulation of the human papillomavirus type 16 E7 mRNA (HPV16 E7).

组织**特异性** Expressed in cultured epidermal, bronchial and mesothelial cells but absent in colon, ectocervix

and liver. Observed throughout the glandular cells in the junction between stomach and esophagus


but is absent in the esophagus.

序列相似性 Belongs to the intermediate filament family.

翻译后修饰 Arg-20 is dimethylated, probably to asymmetric dimethylarginine.


细胞定位 Cytoplasm.

图片



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Cytokeratin 7 antibody (ab53123)

ab53123 at 1/50 dilution staining Cytokeratin 7 in human breast carcinoma by Immunohistochemistry, Paraffin embedded tissue, in the absence and presence of the immunising peptide.



All lanes: Anti-Cytokeratin 7 antibody (ab53123) at 1/300 dilution

Lane 1: HepG2 cell extract

Lane 2: HepG2 cell extract with immunising peptide

Predicted band size: 51 kDa **Observed band size:** 51 kDa

Immunocytochemistry/ Immunofluorescence - Anti-Cytokeratin 7 antibody (ab53123) ICC/IF image of ab53123 stained HeLa cells. The cells were 4% PFA fixed (10 min) and then incubated in 1%BSA / 10% normal goat serum / 0.3M glycine in 0.1% PBS-Tween for 1h to permeabilise the cells and block non-specific protein-protein interactions. The cells were then incubated with the antibody (ab53123, 1µg/ml) overnight at +4°C. The secondary antibody (green) was Alexa Fluor® 488 goat anti-rabbit lgG (H+L) used at a 1/1000 dilution for 1h. Alexa Fluor® 594 WGA was used to label plasma membranes (red) at a 1/200 dilution for 1h. DAPI was used to stain the cell nuclei (blue) at a concentration of 1.43µM.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors