

Anti-DHX30 antibody ab85754

2 图像

概述

产品名称	Anti-DHX30抗体
描述	兔多克隆抗体to DHX30
宿主	Rabbit
经测试应用	适用于: WB, IP
种属反应性	与反应: Human 预测可用于: Rat, Rabbit, Horse, Cow, Dog, Pig, Chimpanzee, Rhesus monkey, Gorilla, Chinese hamster, Orangutan 
免疫原	Synthetic peptide, corresponding to a region between residues 1144 and 1194 of human DHX30 (NP_619520.1)
阳性对照	HeLa and 293T whole cell lysates.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 6.8 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA
纯度	Immunogen affinity purified
纯化说明	ab85754 was affinity purified using an epitope specific to DHX30 immobilized on solid support.
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用 ab85754 于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/2000 - 1/10000. Detects a band of approximately 134 kDa (predicted molecular weight: 134 kDa).
IP		Use at 5-10 µg/mg of lysate.

靶标

序列相似性

Belongs to the DEAD box helicase family. DEAH subfamily.
Contains 1 DRBM (double-stranded RNA-binding) domain.
Contains 1 helicase ATP-binding domain.
Contains 1 helicase C-terminal domain.


翻译后修饰

Isoform 2 is phosphorylated on Ser-15.

细胞定位

Cytoplasm and Mitochondrion. Cytoplasm. Mitochondrion matrix > mitochondrion nucleoid.

图片



All lanes : Anti-DHX30 antibody (ab85754) at 0.04 µg/ml

Lane 1 : HeLa whole cell lysate at 50 µg

Lane 2 : HeLa whole cell lysate at 15 µg

Lane 3 : HeLa whole cell lysate at 5 µg


Lane 4 : 293T whole cell lysate at 50 µg

Predicted band size: 134 kDa

Observed band size: 134 kDa

Additional bands at: 110 kDa, 180 kDa. We are unsure as to the identity of these extra bands.

Exposure time: 3 minutes



Detection of Human DHX3 by Western Blot of Immunoprecipitate.
All lanes: ab85754 at 0.4µg/ml staining DHX3 in HeLa whole cell lysates immunoprecipitated at 10µg/mg lysate (1 mg/IP; 20% of IP loaded/lane) using the following antibodies:
Lane 1: ab85754
Lane 2: Control IgG
Detection: Chemiluminescence with exposure time of 3 minutes.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors