


Anti-DRIM antibody ab86093

2 图像

概述	
产品名称	Anti-DRIM抗体
描述	兔多克隆抗体to DRIM
宿主	Rabbit
经测试应用	适用于: WB, IP
种属反应性	与反应: Mouse, Human 预测可用于: Horse, Cow, Chimpanzee, Rhesus monkey, Bat, Elephant 
免疫原	Synthetic peptide, corresponding to a region between residues 2735 and 2785 of human DRIM (NP_055318.2)
阳性对照	HeLa, 293T and NIH3T3 whole cell lysates.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>
性能	
形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 7 Preservative: 0.09% Sodium azide Constituent: Tris citrate/phosphate
纯度	Immunogen affinity purified
纯化说明	ab86093 was affinity purified using an epitope specific to DRIM immobilized on solid support.
克隆	多克隆
同种型	IgG

The Abpromise guarantee Abpromise™承诺保证使用ab86093于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		1/2000 - 1/10000. Detects a band of approximately 318 kDa (predicted molecular weight: 318 kDa).
IP		Use at 2-5 µg/mg of lysate.

靶标

相关性 DRIM, also known as UTP20, is a component of the U3 small nucleolar RNA (snoRNA) protein complex (U3 snoRNP) and is involved in 18S rRNA processing. DRIM contains 2 HEAT repeats.

细胞定位 Nucleus; nucleolus

图片



All lanes : Anti-DRIM antibody (ab86093) at 0.1 µg/ml

Lane 1 : HeLa whole cell lysate at 50 µg

Lane 2 : HeLa whole cell lysate at 15 µg

Lane 3 : HeLa whole cell lysate at 5 µg

Lane 4 : 293T whole cell lysate at 50 µg


Lane 5 : NIH3T3 whole cell lysate at 50 µg

Predicted band size: 318 kDa

Observed band size: 318 kDa

Additional bands at: 65 kDa. We are unsure as to the identity of these extra bands.

Exposure time: 30 seconds



Detection of DRIM by Western Blot of Immunoprecipitate.

ab86093 at 1µg/ml staining DRIM in HeLa whole cell lysate immunoprecipitated using ab86093 at 3µg/mg lysate (1 mg/IP; 20% of IP loaded/lane).

Detection: Chemiluminescence with exposure time of 10 seconds.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors