abcam

Product datasheet

Anti-EBNA 3A antibody ab16126

★★★★☆ 1 Abreviews 11 References 1 图像

概述

产品名称 Anti-EBNA 3A抗体

描述 羊多克隆抗体to EBNA 3A

宿主 Sheep

特异性 This antibody is specific for the Epstein Barr Virus Nuclear Antigen 3A.

经测试应用 适用于: ICC, Dot blot, ELISA, IHC-Fr, WB

种属反应性 与反应: Epstein-Barr virus

免疫原 Recombinant full length protein. Recombinant EBNA-3A protein

阳性对照 WB: EBV infected tissues and cells

常规说明 Sheep were immunized with recombinant EBNA-3A protein

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

同种型

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 Preservative: 0.08% Sodium azide

Constituent: PBS

纯**度** Ammonium Sulphate Precipitation

纯**化**说明 Purified by ammonium sulfate precipitation. This antibody is provided as a 0.2μm sterile filtered

solution.

克隆 多克隆

lgG

The Abpromise guarantee

Abpromise™承诺保证使用ab16126于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
ICC		Use at an assay dependent concentration.
Dot blot		Use at an assay dependent concentration.
ELISA		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
WB	★★★★ <u>(1)</u>	Use a concentration of 0.25 - 1 µg/ml.

靶标

相关性

EBNA3A is a latent viral nuclear protein expressed in Epstein Barr Virus (EBV) transformed lymphoblastic cell lines. It is also found in some immunoblastic lymphomas in vivo. This viral nuclear protein is essential for EBV mediated transformation of B lymphocytes. The EBNA3A functions as a transcriptional regulator though the target genes are currently unknown.

图片



All lanes: Anti-EBNA 3A antibody (ab16126)

All lanes: Cell line infected with Epstein Barr virus.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors