

Anti-ECSIT antibody ab21288

[7 References](#) [1 图像](#)

概述

产品名称	Anti-ECSIT抗体
描述	兔多克隆抗体to ECSIT
宿主	Rabbit
经测试应用	适用于: IHC-P, IP, ICC/IF, WB
种属反应性	与反应: Mouse, Human
免疫原	Synthetic peptide corresponding to 14 amino acids near the C-terminus of ECSIT (Human).
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
纯度	Affinity purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab21288于以下的经测试应用


“应用说明”部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		Use at an assay dependent concentration.
IP		Use at an assay dependent concentration. PubMed: 21163940
ICC/IF		Use at an assay dependent concentration. PubMed: 21163940
WB		Use a concentration of 0.5 - 1 µg/ml. Detects a band of approximately 42 kDa (predicted molecular weight: 49 kDa).

靶标

功能	Adapter protein of the Toll-like and IL-1 receptor signaling pathway that is involved in the activation of NF-kappa-B via MAP3K1. Promotes proteolytic activation of MAP3K1. Involved in the BMP signaling pathway. Required for normal embryonic development (By similarity). Required for efficient assembly of mitochondrial NADH:ubiquinone oxidoreductase.
序列相似性	Belongs to the ECSIT family.
细胞定位	Cytoplasm. Nucleus. Mitochondrion.

图片



Lane 1 : Anti-ECSIT antibody (ab21288) at 0.5 µg/ml

Lane 2 : Anti-ECSIT antibody (ab21288) at 1 µg/ml

Lane 3 : Anti-ECSIT antibody (ab21288) at 2 µg/ml

All lanes : human heart lysate

Predicted band size: 49 kDa

Observed band size: 42 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors