abcam

Product datasheet

Anti-elF4B antibody ab50103

★★★★ 1 Abreviews 1 References 1 图像

概述

产**品名称** Anti-elF4B**抗体**

描述 兔多克隆抗体to eIF4B

宿主 Rabbit

经测试应用 适用于: WB

种属反应性 与反应: Human

预测可用于: Mouse, Rat, Cow 🔷

免疫原 Synthetic peptide corresponding to Human eIF4B aa 550 to the C-terminus (C terminal)

conjugated to keyhole limpet haemocyanin.

(Peptide available as ab50102)

阳性对照 This antibody gave a positive signal in the following whole cell lysates: HeLa (Human epithelial

carcinoma cell line) Jurkat (Human T cell lymphoblast-like cell line) A431 (Human epithelial carcinoma cell line) HEK293 (Human embryonic kidney cell line) MCF7 (Human breast

adenocarcinoma cell line)

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1 mg/ml may have BSA added as a stabilising

agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

纯**度** Immunogen affinity purified

应用

The Abpromise guarantee Abpromise™承诺保证使用ab50103于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/250. Detects a band of approximately 80 kDa (predicted molecular weight: 69 kDa).

靶标

功能 Required for the binding of mRNA to ribosomes. Functions in close association with EIF4-F and


EIF4-A. Binds near the 5'-terminal cap of mRNA in presence of EIF-4F and ATP. Promotes the ATPase activity and the ATP-dependent RNA unwinding activity of both EIF4-A and EIF4-F.

序列相似性 Contains 1 RRM (RNA recognition motif) domain.

翻译后修饰 Phosphorylated at Ser-422 by RPS6KA1 and RPS6KB1; phosphorylation enhances the affinity of

EIF4B for the EIF3 complex.

图片



All lanes: Anti-elF4B antibody (ab50103) at 1/250 dilution

Lane 1 : HeLa (Human epithelial carcinoma cell line) Whole Cell

Lysate

Lane 2: Jurkat whole cell lysate (ab7899)

Lane 3: A-431 whole cell lysate (ab7909)

Lane 4: HEK-293 whole cell lysate (ab7902)

Lane 5: HepG2 (Human hepatocellular liver carcinoma cell line)

Whole Cell Lysate

Lane 6: MCF7 (Human breast adenocarcinoma cell line) Whole

Cell Lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: IRDye 680 Conjugated Goat Anti-Rabbit IgG (H+L) at

1/10000 dilution

Performed under reducing conditions.

Predicted band size: 69 kDa **Observed band size:** 80 kDa

Additional bands at: 46 kDa. We are unsure as to the identity of

these extra bands.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors