abcam

Product datasheet

Anti-ELK4 antibody ab86002

1 References 1 图像

概述

产**品名称** Anti-ELK4抗体

描述 兔多克隆抗体to ELK4

宿主 Rabbit

经测试应用 适用于: WB

种属反应性 与反应: Recombinant fragment

免疫原 Three synthetic peptides derived from human ELK4, conjugated to KLH.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

存储溶液 Preservative: 0.01% Thimerosal (merthiolate)

纯**度** Whole antiserum

纯**化**说明 Crude serum, final bleed

 克隆
 多克隆

 同种型
 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab86002于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

1

应用	Ab评论	说明
WB		1/1000. Predicted molecular weight: 47 kDa.

靶标

功能 Forms a ternary complex with the serum response factor (SRF). Requires DNA-bound SRF for

ternary complex formation and makes extensive DNA contacts to the 5'side of SRF, but does not


bind DNA autonomously.

序列相似性 Belongs to the ETS family.

Contains 1 ETS DNA-binding domain.

细胞定位 Nucleus.

图片



All lanes: Anti-ELK4 antibody (ab86002) at 1/1000 dilution (in 5% non-fat milk-PBST solution incubated for 60 minutes)

Lane 1 : uninduced culture of *E. coli* (plus anti thio at 1/5000 dilution)

Lane 2: induced culture of E. coli (plus anti thio at 1/5000 dilution)

Secondary

All lanes: anti-Rabbit IgG HRP conjugated incubated for 60

minutes at 1/1000 dilution

Predicted band size: 47 kDa
Observed band size: 61 kDa

Gel concentration: 10%

The actual band molecular weight is the result of the target protein ELK4 (47 kDa) attached to a tag (14 kDa).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors