



Anti-FADD antibody ab24533

23 References **1 图像**

概述

产品名称	Anti-FADD抗体
描述	兔多克隆抗体to FADD
宿主	Rabbit
经测试应用	适用于: WB
种属反应性	与反应: Human
免疫原	Synthetic peptide: KIDSIEDRYPRNLTERVRESL , corresponding to amino acids 125-145 of Human FADD (Peptide available as ab54083 .)  Run BLAST with  Run BLAST with

常规说明	<p>This product is manufactured by BioVision, an Abcam company and was previously called 3039 FADD Antibody. 3039-100 is the same size as the 100 µg size of ab24533.</p> <p>FADD has a molecular weight of 23kDa with an apparent molecular weight of 28 kDa on SDS-PAGE.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>
------	--

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	Preservative: 0.02% Sodium azide Constituents: PBS, 50% Glycerol (glycerin, glycerine), 1% BSA
纯度	Immunogen affinity purified
Primary antibody说明	FADD has a molecular weight of 23kDa with an apparent molecular weight of 28 kDa on SDS-PAGE.

克隆

多克隆

同种型

IgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab24533于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use at an assay dependent concentration. Predicted molecular weight: 23 kDa.

靶标

功能

Apoptotic adaptor molecule that recruits caspase-8 or caspase-10 to the activated Fas (CD95) or TNFR-1 receptors. The resulting aggregate called the death-inducing signaling complex (DISC) performs caspase-8 proteolytic activation. Active caspase-8 initiates the subsequent cascade of caspases mediating apoptosis.

组织特异性

Expressed in a wide variety of tissues, except for peripheral blood mononuclear leukocytes.


序列相似性

Contains 1 death domain.
Contains 1 DED (death effector) domain.

结构域

Contains a death domain involved in the binding of the corresponding domain within Fas receptor.

图片



Lane 1 : Anti-FADD antibody (ab24533) (0.5-4 ug/ml)

Lane 2 : Anti-FADD antibody (ab24533)

All lanes : Jurkat cell lysates

Predicted band size: 23 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors