abcam

Product datasheet

Anti-FbxL12 antibody ab96831

2 References 3 图像

概述

产**品名称** Anti-FbxL12抗体

描述 兔多克隆抗体to FbxL12

宿主 Rabbit

适用于: IHC-P, WB

种属反应性 与反应: Mouse, Human

预测可用于: Rat 📤

免疫原 Synthetic peptide containing a sequence corresponding to a region within amino acids 315-326 (

RACPKESMDWWM

) of Human FbxL12 (NP 060173).

Run BLAST with
Run BLAST with

阳性对照 HepG2 and NIH-3T3 whole cell lysates; SW480; 293T, A431, H1299, HeLa, Molt-4 and Raji cell

lysates

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 89.99% PBS, 10% Glycerol (glycerin, glycerine)

纯**度** Immunogen affinity purified

1

The Abpromise guarantee

Abpromise™承诺保证使用ab96831于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		1/100 - 1/500.
WB		1/500 - 1/3000. Predicted molecular weight: 37 kDa.

靶标


功能 Substrate-recognition component of the SCF (SKP1-CUL1-F-box protein)-type E3 ubiquitin

ligase complex.

序列相似性 Contains 1 F-box domain.

Contains 8 LRR (leucine-rich) repeats.


图片



Anti-FbxL12 antibody (ab96831) at 1/1000 dilution + HepG2 whole cell lysate at 30 μg

Predicted band size: 37 kDa


10% SDS-PAGE



Anti-FbxL12 antibody (ab96831) at 1/1000 dilution + NIH-3T3 whole cell lysate at 30 μg

Predicted band size: 37 kDa

12% SDS-PAGE



SW480 by Immunohistochemistry.

ab96831, at 1/500 dilution, staining FbxL12 in paraffin-embedded

Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FbxL12 antibody (ab96831)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors