abcam

Product datasheet

FITC Anti-CD24 antibody [SN3] ab30350

★★★★★ 1 Abreviews 17 References 1 图像

概述

产品名称 FITC荧光Anti-CD24抗体[SN3]

描述 FITC荧光小鼠单克隆抗体[SN3] to CD24

宿主 Mouse

偶联物 FITC. Ex: 493nm, Em: 528nm

经测试应用适用于: Flow Cyt种属反应性与反应: Human

免疫原 Glycoproteins purified from human NALM-1 cell line

常规说明 The Life Coinne industry has been in the prince of a second with life coining for

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C.

存储溶液 pH: 7.40

Preservative: 0.09% Sodium azide Constituents: PBS, 1% BSA

纯**度** Protein G purified

 克隆
 单克隆

 克隆编号
 SN3

 同种型
 IgG1

应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use 20µl for 10 ⁶ cells. 1/1 - 1/10. Use 10µl of the above dilution for 10 ⁶ cells or 100ul whole blood. ab91356 - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody.

功能

Modulates B-cell activation responses. Signaling could be triggered by the binding of a lectin-like ligand to the CD24 carbohydrates, and transduced by the release of second messengers derived from the GPI-anchor. Promotes AG-dependent proliferation of B-cells, and prevents their terminal differentiation into antibody-forming cells.

组织特异性

B-cells. Expressed in a number of B-cell lines including P32/SH and Namalwa. Expressed in erythroleukemia cell and small cell lung carcinoma cell lines. Also expressed on the surface of T-cells.

疾病相关

Genetic variations in CD24 are associated with susceptibility to multiple sclerosis (MS) [MIM:126200]. A multifactorial, inflammatory, demyelinating disease of the central nervous system. Sclerotic lesions are characterized by perivascular infiltration of monocytes and lymphocytes and appear as indurated areas in pathologic specimens (sclerosis in plaques). The pathological mechanism is regarded as an autoimmune attack of the myelin sheat, mediated by both cellular and humoral immunity. Clinical manifestations include visual loss, extra-ocular movement disorders, paresthesias, loss of sensation, weakness, dysarthria, spasticity, ataxia and bladder dysfunction. Genetic and environmental factors influence susceptibility to the disease. Note=Polymorphisms in CD24 may act as a genetic modifier for susceptibility and progression of MS in some populations, perhaps by affecting the efficiency of CD24 expression on the cell surface.

序列相似性

Belongs to the CD24 family.


翻译后修饰

Extensively O-glycosylated.

细胞定位

Cell membrane.

图片



Staining of human peripheral blood granulocytes with SN3 mouse monoclonal anti-human CD24 FITC conjugated (ab30350)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors