abcam

Product datasheet

FITC Anti-CD32B + CD32A antibody [AT10] ab30356

4 References 2 图像

概述

产品名称 FITC荧光Anti-CD32B + CD32A抗体[AT10]

描述 FITC荧光小鼠单克隆抗体[AT10] to CD32B + CD32A

宿主 Mouse

偶联物 FITC. Ex: 493nm, Em: 528nm 经测试应用 适用于: Flow Cyt (Intra), ICC/IF

种属反应性 与反应: Human

免疫原 Tissue, cells or virus. This information is proprietary to Abcam and/or its suppliers.

阳性对照 Flow Cyt (Intra): K562 cells. ICC/IF: K562 cells.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 1% BSA, 30% Glycerol (glycerin, glycerine)

纯**度** Protein G purified

 克隆
 单克隆

 克隆编号
 AT10

 骨髓瘤
 NS1

 同种型
 IgG1

 轻链类型
 kappa

1

The Abpromise guarantee Abpromise™承诺保证使用ab30356于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
Flow Cyt (Intra)		1/500. ab91356 - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody.
ICC/IF		1/50. This product gave a positive signal in K562 cells fixed with 4% formaldehyde (10 min) and 80% methanol (5 min).

靶标

细胞定位

CD32B: Cell membrane. CD32A: Cell membrane.

图片




Immunocytochemistry/ Immunofluorescence - FITC
Anti-CD32B + CD32A antibody [AT10] (ab30356)

ab30356 staining CD32A + CD32B in K562 cells. The cells were fixed with 4% formaldehyde (10 min) and then incubated in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h to permeabilize the cells and block non-specific protein-protein interactions. The cells were then incubated overnight at +4°C with ab30356 at 1/50 dilution (shown in green) and **ab195889**, Mouse monoclonal to alpha Tubulin (Alexa Fluor[®] 594), at 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in K562 cells fixed with 80% methanol (5 min).



Flow Cytometry (Intracellular) - FITC Anti-CD32B + CD32A antibody [AT10] (ab30356)

Overlay histogram showing K562 cells stained with ab30356 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab30356, 1/5000 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was Mouse IgG1 (monoclonal) FITC (ab18435) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 50 mW Blue laser (488nm) and 530/30 bandpass filter.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors