abcam

Product datasheet

FITC Anti-CD41 antibody [MEM-06] ab21851

1 图像

概述

产品名称 FITC荧光Anti-CD41抗体[MEM-06]

描述 FITC荧光小鼠单克隆抗体[MEM-06] to CD41

宿主 Mouse

偶联物 FITC. Ex: 493nm, Em: 528nm

经测试应用适用于: Flow Cyt种属反应性与反应: Human

免疫原 Tissue, cells or virus corresponding to Human CD41. Tissue/ cell preparation (Human).

(Leucocytes of patient suffering from LGL-type leukaemia).

Database link: P08514

常规说明 The purified antibody is conjugated with Fluorescein isothiocyanate (FITC) under optimum

conditions. The reagent is free of unconjugated FITC and adjusted for direct use. No reconstitution

is necessary.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C.

存储溶液 pH: 7.40

Preservative: 0.097% Sodium azide

Constituents: PBS, BSA

纯**度** Protein G purified

1

同种型 lgG1

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab21851于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use at an assay dependent concentration. Use 20µl of antibody per 100µl whole blood.

2211	+-
25.	47/h

功能

Integrin alpha-Ilb/beta-3 is a receptor for fibronectin, fibrinogen, plasminogen, prothrombin, thrombospondin and vitronectin. It recognizes the sequence R-G-D in a wide array of ligands. It recognizes the sequence H-H-L-G-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin alpha-Ilb/beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen. This step leads to rapid platelet aggregation which physically plugs ruptured endothelial cell surface.

组织特异性

Isoform 1 and isoform 2 were identified in platelets and megakaryocytes, but not in reticulocytes or in Jurkat and U937 white blood cell line. Isoform 3 is expressed by leukemia, prostate adenocarcinoma and melanoma cells but not by platelets or normal prostate or breast epithelial cells.

疾病相关

Defects in ITGA2B are a cause of Glanzmann thrombasthenia (GT) [MIM:273800]; also known as thrombasthenia of Glanzmann and Naegeli. GT is the most common inherited disease of platelets. It is an autosomal recessive disorder characterized by mucocutaneous bleeding of mild-to-moderate severity and the inability of this integrin to recognize macromolecular or synthetic peptide ligands. GT has been classified clinically into types I and II. In type I, platelets show absence of the glycoprotein Ilb/beta-3 complexes at their surface and lack fibrinogen and clot retraction capability. In type II, the platelets express the glycoprotein Ilb/beta-3 complex at reduced levels (5-20% controls), have detectable amounts of fibrinogen, and have low or moderate clot retraction capability. The platelets of GT 'variants' have normal or near normal (60-100%) expression of dysfunctional receptors.

序列相似性


Belongs to the integrin alpha chain family.

Contains 7 FG-GAP repeats.

细胞定位

Membrane.

图片



Flow Cytometry analysis of human platelets labeling CD41 with ab21851.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors