abcam

Product datasheet

FITC Anti-CD59 antibody [MEM-43], prediluted ab18237

9 References 1 图像

概述

产品名称 FITC荧光Anti-CD59抗体[MEM-43], prediluted

描述 FITC荧光小鼠单克隆抗体[MEM-43] to CD59, prediluted

宿主 Mouse

偶联物 FITC. Ex: 493nm, Em: 528nm

特异性 The antibody reacts with a well defined epitope (W40, R-53) on CD59 molecule.

 经测试应用
 适用于: Flow Cyt

 种属反应性
 与反应: Human

免疫原 Tissue, cells or virus corresponding to Human CD59. Human thymocytes and T lymphocytes

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.097% Sodium azide

Constituents: PBS, BSA

 克隆
 单克隆

 克隆编号
 MEM-43

 同种型
 IgG2a

应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说 明
Flow Cyt		Use 20µl for 10 ⁶ cells. 20 µl for a 100 µl sample is recommended.

靶标

功能

Potent inhibitor of the complement membrane attack complex (MAC) action. Acts by binding to the C8 and/or C9 complements of the assembling MAC, thereby preventing incorporation of the multiple copies of C9 required for complete formation of the osmolytic pore. This inhibitor appears to be species-specific. Involved in signal transduction for T-cell activation complexed to a protein tyrosine kinase.

The soluble form from urine retains its specific complement binding activity, but exhibits greatly reduced ability to inhibit MAC assembly on cell membranes.

疾病相关

序列相似性

翻译后修饰

Defects in CD59 are the cause of CD59 deficiency (CD59D) [MIM:612300].

Contains 1 UPAR/Ly6 domain.


N- and O-glycosylated. The N-glycosylation mainly consists of a family of biantennary complex-type structures with and without lactosamine extensions and outer arm fucose residues. Also significant amounts of triantennary complexes (22%). Variable sialylation also present in the Asn-43 oligosaccharide. The predominant O-glycans are mono-sialylated forms of the disaccharide, Gal-beta-1,3GalNAc, and their sites of attachment are probably on Thr-76 and Thr-77. The GPI-anchor of soluble urinary CD59 has no inositol-associated phospholipid, but is composed of seven different GPI-anchor variants of one or more monosaccharide units. Major variants contain sialic acid, mannose and glucosamine Sialic acid linked to an N-acetylhexosamine-galactose arm is present in two variants.

Glycated. Glycation is found in diabetic subjects, but only at minimal levels in nondiabetic subjects. Glycated CD59 lacks MAC-inhibitory function and confers to vascular complications of diabetes.

细胞定位

Cell membrane. Secreted. Soluble form found in a number of tissues.

图片



Flow cytometry analysis staining CD59 in HL-60 cells using ab18237 at a $1\mu g/ml$ dilution. Sp2 cells were used as the negative control.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors