

# FITC Anti-CD63 antibody [MEM-259] ab18235

[10 References](#) [1 图像](#)

### 概述

<b>产品名称</b>	FITC荧光Anti-CD63抗体[MEM-259]
<b>描述</b>	FITC荧光小鼠单克隆抗体[MEM-259] to CD63
<b>宿主</b>	Mouse
<b>偶联物</b>	FITC. Ex: 493nm, Em: 528nm
<b>经测试应用</b>	<b>适用于:</b> Flow Cyt
<b>种属反应性</b>	<b>与反应:</b> Human
<b>免疫原</b>	Tissue, cells or virus corresponding to Human CD63. T cell line HPB-ALL
<b>常规说明</b>	<p>The purified antibody is conjugated with Fluorescein isothiocyanate (FITC) under optimum conditions. The reagent is free of unconjugated FITC and adjusted for direct use. No reconstitution is necessary.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 性能

<b>形式</b>	Liquid
<b>存放说明</b>	Shipped at 4°C. Store at +4°C.
<b>存储溶液</b>	pH: 7.40 Preservative: 0.097% Sodium azide Constituents: PBS, BSA
<b>克隆</b>	单克隆
<b>克隆编号</b>	MEM-259
<b>同种型</b>	IgG1

### 应用

## The Abpromise guarantee

**Abpromise™** 承诺保证使用 ab18235 于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		1/5. 20 µl for a 100 µl sample is recommended.  ab91356 - Mouse monoclonal IgG1 is suitable for use as an

## 靶标

功能	This antigen is associated with early stages of melanoma tumor progression. May play a role in growth regulation.
组织特异性	Dysplastic nevi, radial growth phase primary melanomas, hematopoietic cells, tissue macrophages.
序列相似性	Belongs to the tetraspanin (TM4SF) family.
细胞定位	Cell membrane. Lysosome membrane. Late endosome membrane. Also found in Weibel-Palade bodies of endothelial cells. Located in platelet dense granules.

## 图片



ab18235 staining CD63 in human peripheral blood lymphocytes from a patient with allergy to bee venom after stimulation with bee venom, analysed by Flow Cytometry.

Flow Cytometry - FITC Anti-CD63 antibody [MEM-259] (ab18235)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors