

FITC Anti-CD69 antibody [FN50], prediluted ab135931

2 图像

概述

产品名称	FITC荧光Anti-CD69抗体[FN50], prediluted
描述	FITC荧光小鼠单克隆抗体[FN50] to CD69, prediluted
宿主	Mouse
偶联物	FITC. Ex: 493nm, Em: 528nm
经测试应用	适用于: Flow Cyt
种属反应性	与反应: Human
免疫原	Tissue, cells or virus corresponding to Human CD69. Anti- μ -stimulated Human B lymphocytes.
阳性对照	Flow Cyt: Human blood cells
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	<p>pH: 7.4</p> <p>Preservative: 0.1% Sodium azide</p> <p>Constituents: 99% PBS, 0.2% BSA</p>
纯度	BSA is high-grade protease free
克隆	Size exclusion
克隆编号	单克隆
同种型	FN50
	IgG1

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab135931于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use at an assay dependent concentration. 20 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension.


靶标

功能	Involved in lymphocyte proliferation and functions as a signal transmitting receptor in lymphocytes, natural killer (NK) cells, and platelets.
组织特异性	Expressed on the surface of activated T-cells, B-cells, natural killer cells, neutrophils, eosinophils, epidermal Langerhans cells and platelets.
序列相似性	Contains 1 C-type lectin domain.
发展阶段	Earliest inducible cell surface glycoprotein acquired during lymphoid activation.
翻译后修饰	Constitutive Ser/Thr phosphorylation in both mature thymocytes and activated T-lymphocytes.
细胞定位	Membrane.

图片



Flow cytometry surface staining pattern of human peripheral whole blood stained labeling CD69 with ab135931 (20 µL reagent/100 µL of peripheral whole blood).



Flow cytometry analysis (surface staining) of human peripheral whole blood labeling CD69 with ab135931 (20 μ L reagent/100 μ L of peripheral whole blood). Histogram showing separation of human thrombocytes (red-filled) from CD69 negative lymphocytes (black-dashed).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors