

FITC Anti-S100A9 + Calprotectin (S100A8/A9 complex) antibody [MAC387] ab7429

★★★★★ [1 Abreviews](#) [7 References](#) [1 图像](#)

概述

产品名称	FITC荧光Anti-S100A9 + Calprotectin (S100A8/A9 complex)抗体[MAC387]
描述	FITC荧光小鼠单克隆抗体[MAC387] to S100A9 + Calprotectin (S100A8/A9 complex)
宿主	Mouse
偶联物	FITC. Ex: 493nm, Em: 528nm
特异性	This antibody recognises the L1 or Calprotectin molecule, an intracytoplasmic antigen comprised of a 12kD alpha chain and a 14kD beta chain. The antigen is expressed by granulocytes, monocytes and tissue macrophages. Variable results have been reported for staining brain macrophages and microglia.
经测试应用	适用于: Flow Cyt (Intra)
种属反应性	与反应: Rat, Rabbit, Horse, Guinea pig, Cow, Cat, Dog, Human, Pig, Monkey, Baboon, Cynomolgus monkey, Rhesus monkey
免疫原	Tissue, cells or virus corresponding to Human S100A9 + Calprotectin (S100A8/A9 complex). Human monocytes
阳性对照	Flow Cyt (Intra): Human peripheral blood granulocyte
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	Preservative: 0.1% Sodium azide Constituent: 0.2% BSA
纯度	Protein G purified

纯化说明	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
克隆	单克隆
克隆编号	MAC387
骨髓瘤	NS1
同种型	IgG1


应用

The Abpromise guarantee Abpromise™ 承诺保证使用 ab7429 于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度; 实际最佳的稀释度/浓度应由使用者检定。

应用	Ab 评论	说明
Flow Cyt (Intra)		Use 10µl for 10 ⁶ cells. Membrane permeabilisation is required for this application. ab91356 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

图片



ab7429 staining S100A9 + Calprotectin (FITC) in human peripheral blood granulocyte by Intracellular Flow Cytometry analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors