

FITC Anti-TCR alpha + TCR beta antibody [H57-597] ab25010

1 References **1 图像**

概述

产品名称	FITC荧光Anti-TCR alpha + TCR beta抗体[H57-597]
描述	FITC荧光亚美尼亚仓鼠单克隆抗体[H57-597] to TCR alpha + TCR beta
宿主	Armenian hamster
偶联物	FITC. Ex: 493nm, Em: 528nm
特异性	Common epitope of the β chain of the mouse $\alpha\beta$ T cell receptor (TCR) complex.
经测试应用	适用于: Flow Cyt
种属反应性	与反应: Mouse
免疫原	TCR affinity purified from T-cell hybridoma DO-11.10 (Mouse)
常规说明	<p>ab25010 can be used for in vitro stimulation of alpha beta TCR-expressing T cells and in vitro and in vivo depletion of $\alpha\beta$ TCR-bearing cells. Plate-bound or soluble ab25010 activates $\alpha\beta$ TCR bearing T cells.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C. Do Not Freeze. Store undiluted.
存储溶液	<p>pH: 7.20</p> <p>Preservative: 0.09% Sodium azide</p> <p>Constituents: 0.14% Monobasic dihydrogen sodium phosphate, 0.87% Sodium chloride, 0.1% Gelatin</p>
纯度	Affinity purified
纯化说明	Purified from TCS
Primary antibody说明	ab25010 can be used for in vitro stimulation of alpha beta TCR-expressing T cells and in vitro and

	in vivo depletion of αβ TCR-bearing cells. Plate-bound or soluble ab25010 activates αβ TCR bearing T cells.
克隆	单克隆
克隆编号	H57-597
同种型	IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab25010于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
Flow Cyt		Use at an assay dependent concentration.

靶标

相关性	<p>The receptors on T cells consist of immunoglobulin like integral membrane glycoproteins containing 2 polypeptide subunits, alpha and beta, of similar molecular weight, 40 to 55 kD in the human. Like the immunoglobulins of the B cells, each T cell receptor subunit has, external to the cell membrane, an N terminal variable domain and a C terminal constant domain. T cell receptors recognise foreign antigens which have been processed as small peptides and bound to major histocompatibility complex molecules at the surface of antigen presenting cells. Each T cell receptor is a dimer consisting of one alpha and one beta chain or one delta and one gamma chain. In a single cell, the T cell receptor loci are rearranged and expressed in the order delta, gamma, beta, and alpha. If both delta and gamma rearrangements produce functional chains, the cell expresses delta and gamma. If not, the cell proceeds to rearrange the beta and alpha loci.</p>
-----	---

细胞定位	Type I membrane protein.
------	--------------------------

图片



Flow Cytometry analysis of C57Bl/6 splenocytes labeling TCR alpha + TCR beta with ab25010 at 0.25 μ g (solid line). Armenian hamster IgG (FITC) isotype control at 0.25 μ g (dashed line).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors