abcam

Product datasheet

Anti-FMNL2 antibody ab72105

4 References 3 图像

概述

产**品名称** Anti-FMNL2抗体

描述 兔多克隆抗体to FMNL2

宿主 Rabbit

适用于: WB, IHC-P

种属反应性 与反应: Mouse, Human

预测可用于: Cow 🕰

免疫原 Synthetic peptide corresponding to Human FMNL2 (N terminal).

阳性对照 Mouse embryo body tissue lysate; Paraffin embedded Human brain tissue.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

存储溶液 pH: 7.4

Preservative: 0.05% Sodium azide Constituents: 0.05% BSA, PBS

纯**度** Protein G purified

克隆 多克隆

同种型 lgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab72105于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 1 - 3 µg/ml. Detects a band of approximately 123 kDa (predicted molecular weight: 123 kDa).
IHC-P		Use a concentration of 5 - 10 µg/ml.

靶标


相关性

This gene encodes a formin-related protein. Formin-related proteins have been implicated in morphogenesis, cytokinesis, and cell polarity. Alternatively spliced transcript variants encoding different isoforms have been described but their full-length nature has yet to be determined.

细胞定位

Cytoplasm

图片



Western blot - Anti-FMNL2 antibody (ab72105)

All lanes: Anti-FMNL2 antibody (ab72105) at 2 μg/ml

Lane 1: mouse embryo body tissue lysate

Lane 2: mouse embryo body tissue lysate with immunizing peptide

Predicted band size: 123 kDa **Observed band size:** 123 kDa


Additional bands at: 40 kDa. We are unsure as to the identity of

these extra bands.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FMNL2 antibody (ab72105)

Immunohistochemical analysis of FMNL2 expression in paraffin embedded human brain cortical tissue using ab72105 at 10ug/ml.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-FMNL2 antibody (ab72105)

Immunohistochemical analysis of FMNL2 expression in paraffin embedded normal human brain tissue using ab72105 at 6 ug/ml (figure A) and a control rabbit lg (figure B).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors