




Anti-FSTL1/FRP antibody ab11805

★★★★★ [1 Abreviews](#) [11 References](#) [1 图像](#)

概述

产品名称	Anti-FSTL1/FRP抗体
描述	山羊多克隆抗体to FSTL1/FRP
宿主	Goat
经测试应用	适用于: WB
种属反应性	与反应: Human 预测可用于: Cow, Cynomolgus monkey 
免疫原	Synthetic peptide corresponding to Human FSTL1/FRP aa 296-308 (C terminal). Sequence: C-TAEKTKRVSTKEI (Peptide available as ab23213) <div>  Run BLAST with  Run BLAST with </div>
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: Tris buffered saline, 0.5% BSA
纯度	Immunogen affinity purified
纯化说明	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
克隆	多克隆

同种型

lgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab11805于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB	★★★★★ (1)	Use a concentration of 0.3 - 1 µg/ml. Detects a band of approximately 50 kDa (predicted molecular weight: 35 kDa). A 1 hour primary incubation is recommended for this product. The observed molecular weight corresponds to earlier findings in literature (Tanaka et al, Int Immunol. 1998 Sep;10(9):1305-14.

靶标

功能	May modulate the action of some growth factors on cell proliferation and differentiation. Binds heparin.
组织特异性	Overexpressed in synovial tissues from rheumatoid arthritis.
序列相似性	Contains 2 EF-hand domains. Contains 1 follistatin-like domain. Contains 1 Kazal-like domain. Contains 1 VWFC domain.
细胞定位	Secreted.

图片



Anti-FSTL1/FRP antibody (ab11805) at 0.5 µg/ml + Human Placenta lysate (RIPA buffer, 35µg total protein per lane)

Predicted band size: 35 kDa

Observed band size: 50 kDa

Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors