

Anti-GABA antibody ab9446

3 References

概述

产品名称	Anti-GABA抗体
描述	兔多克隆抗体to GABA
宿主	Rabbit
特异性	The antibody is calibrated against a spectrum of antigens to assure hapten selectivity. Fixed tissue cross-reactivity was tested with known targets at the recommended dilution. No measurable glutaraldehyde-fixed tissue cross-reactivity (<1:1000) was detected against L-alanine, D/L-aspartate, 1-amino-4-guanidobutane (AGB), D/L-arginine, L-citrulline, L-cysteine, D/L-glutamine, glutathione, glycine, L-lysine, L-ornithine, L-serine, taurine, L-threonine, L-tryptophan, L-tyrosine.
经测试应用	适用于: IHC-FoFr, IHC-Fr, Immunomicroscopy
种属反应性	与反应: Species independent
免疫原	Chemical/ Small Molecule conjugated to BSA by a Glutaraldehyde linker
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
纯度	IgG fraction
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab9446于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-FoFr		
IHC-Fr		
Immunomicroscopy		

应用说明

This antibody is recommended for thin section post-embedding endogenous content mapping by Light and Electron microscopy immunostaining via High Performance Immunohistochemistry (HPI) (see "Protocols" tab above)

Recommended user dilution: 1/100
True Dilution at User Dilution: 1/32000

High-performance thin section immunostaining using silver-intensified immunogold or fluorescence detection.
Enhanced detection is possible using streptavidin detection.
EM applications with 10-40 nm gold GAR IgGs or gold streptavidin.

OPTIMAL FIXATION: 0.1-2.5% glutaraldehyde,1% formaldehyde using HPI protocol (The antisera targets the glutaraldehyde conjugate of the hapten).
MINIMAL GLUTARALDEHYDE: 0.00% using minimum glutaraldehyde Enhanced HPI (EHPI) protocol with 4% formaldehyde (see "Protocols" tab above)

The hapten is osmium tolerant (deosmication required), therefore the antisera can be used on conventional post-embedding electron microscope immunostaining.

All procedures may be carried out at room temperature. Exact dilutions for all applications cannot be predicted, but it is unlikely that deviations from the calibrated levels will be needed. Dilutions are optimized for antigen detection over a 2 log unit range.

The product is optimized for HPI/EHPI with gold or fluorescence detection using etched plastic sections. Filter diluted reagents with 0.2 mm syringe filters before use on EM grids. Enzyme-linked visualizations can be used but will compress the signal dynamic range and are less sensitive.

Use with frozen or vibratome sections is possible but will not yield optimal images as IgGs penetrate aldehyde cross-linked tissue poorly and most amino acids are present at such high levels that prozone effects occur. Use in whole mounts is not recommended for similar reasons.

靶标

相关性

Gamma-aminobutyric acid (GABA) is a major inhibitory neurotransmitter. GABA acts at inhibitory synapses in the brain and spinal cord. Inhibition is provoked by GABA binding resulting in hyperpolarization of the synaptic transmembrane potential of the affected neuron. GABA binding causes ion channels to open allowing either the flow of chloride or potassium ions into or out of the cell.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors