# abcam

### Product datasheet

## Anti-Glutathione Peroxidase 2/GPX2 antibody ab137431

<u>14 References</u> 4 图像

概述		
产 <b>品名称</b>	Anti-Glutathione Peroxidase 2/GPX2抗体	
描述	兔多克隆抗体to Glutathione Peroxidase 2/GPX2	
宿主	Rabbit	
经 <b>测</b> 试应 <b>用</b>	适用于: WB, IHC-P, IP	
种属反应性	与反应: Mouse, Human	
	预测可用于: Rat, Cow, Dog, Pig, Monkey 🛛 📣	
免疫原	Synthetic peptide corresponding to Human Glutathione Peroxidase 2/GPX2 aa 126-190.	
<b>阳性</b> 对照	Recombinant Human Glutathione Peroxidase 2/GPX2 protein ( <b>ab116151</b> ) can be used as a positive control in WB. HepG2 whole cell lysate; Human gastric carcinoma and Mouse muscle tissues.	
<b>常</b> 规说 <b>明</b>	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.	
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As	
性能		
ま れ	Liquid	

形式	Liquid
存 <b>放</b> 说明	Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.00 Preservative: 0.025% Proclin 300 Constituents: 79% PBS, 20% Glycerol (glycerin, glycerine)
纯 <b>度</b>	Immunogen affinity purified
克隆	多克隆
同种型	lgG

#### The Abpromise guarantee


#### Abpromise™承诺保证使用ab137431于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/3000. Predicted molecular weight: 22 kDa.
IHC-P		1/100 - 1/1000. Suggested antigen retrieval using heat mediated 10mM Citrate buffer (pH6.0) or Tris-EDTA buffer (pH8.0).
IP		Use a concentration of 5 µg/ml.


<b>靶</b> 标	
功能	Could play a major role in protecting mammals from the toxicity of ingested organic hydroperoxides. Tert-butyl hydroperoxide, cumene hydroperoxide and linoleic acid hydroperoxide but not phosphatidycholine hydroperoxide, can act as acceptors.
组织 <b>特异性</b>	Mostly in liver and gastrointestinal tract, not found in heart or kidney.
序列相似性	Belongs to the glutathione peroxidase family.
细 <b>胞定位</b>	Cytoplasm. Mainly cytoplasmic.

#### 图片




Immunoprecipitation - Anti-Glutathione Peroxidase 2/GPX2 antibody (ab137431)

Immunoprecipitation of Glutathione Peroxidase 2/GPX2 protein from HepG2 whole cell extracts using 5 µg of ab137431. Western blot analysis was performed using ab137431.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Glutathione Peroxidase 2/GPX2 antibody (ab137431)

Immunohistochemical analysis of paraffin-embedded Human gastric carcinoma tissue labelling Glutathione Peroxidase 2/GPX2 with ab137431 at 1/500 dilution.



Anti-Glutathione Peroxidase 2/GPX2 antibody (ab137431) at 1/1000 dilution + HepG2 whole cell lysate at 30  $\mu g$ 

Predicted band size: 22 kDa

12% SDS PAGE



Immunohistochemical analysis of paraffin-embedded Mouse muscle tissue labelling Glutathione Peroxidase 2/GPX2 with ab137431 at 1/500 dilution.



#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

#### **Terms and conditions**

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors