


Anti-GnRHR antibody ab183079

★★★★★ [1 Abreviews](#) [12 References](#) [2 图像](#)

概述

产品名称	Anti-GnRHR抗体
描述	兔多克隆抗体to GnRHR
宿主	Rabbit
经测试应用	适用于: WB, IHC-P
种属反应性	与反应: Mouse, Human 预测可用于: Dog 
免疫原	Synthetic peptide within Human GnRHR aa 50-150. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please contact our Scientific Support team to discuss your requirements. NP_000397. Database link: P30968 Run BLAST with Run BLAST with
阳性对照	231 cell lysate, mouse testis tissue lysate and Human esophagus cancer tissue.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
存储溶液	pH: 7.4 Preservative: 0.05% Sodium azide Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine) PBS without Mg ²⁺ and Ca ²⁺

纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用


The Abpromise guarantee **Abpromise™**承诺保证使用ab183079于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB	★★★★★ (1)	1/2000 - 1/5000. Predicted molecular weight: 38 kDa.
IHC-P		1/117 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

靶标

图片



All lanes : Anti-GnRHR antibody (ab183079) at 1/2350 dilution

Lane 1 : 231 cell lysate

Lane 2 : mouse testis tissue lysate

Lysates/proteins at 40 µg per lane.


Secondary

All lanes : Goat anti Rabbit IgG - H&L (HRP) at 1/10000 dilution

Developed using the ECL technique.

Predicted band size: 38 kDa

Exposure time: 25 seconds



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-GnRHR antibody (ab183079)

Immunohistochemical analysis of paraffin-embedded Human esophagus cancer tissue labeling GnRHR with ab183079 at 1/117 dilution. The right image is treated with the immunizing peptide.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors