


### Anti-GPCR GPR65/TDAG8 antibody ab188907

★★★★★ [3 Abreviews](#) [2 References](#) [3 图像](#)

#### 概述

产品名称	Anti-GPCR GPR65/TDAG8抗体
描述	兔多克隆抗体to GPCR GPR65/TDAG8
宿主	Rabbit
特异性	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
经测试应用	<b>适用于:</b> IHC-P
种属反应性	<b>与反应:</b> Human <b>预测可用于:</b> Mouse, Rat, Rabbit, Horse, Hamster, Cow, Pig, Monkey, Gorilla, Common marmoset, Bat 
免疫原	Synthetic peptide within Human GPCR GPR65/TDAG8 (intracellular). The exact sequence is proprietary. 16 amino acid peptide from 1st cytoplasmic domain. Database link: <a href="#">Q8IYL9</a>
阳性对照	IHC-P: Human tonsil and lymph node tissue.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
存储溶液	pH: 7.4 Preservative: 0.1% Sodium azide Constituent: 99% PBS
纯度	Immunogen affinity purified
克隆	多克隆

同种型

IgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab188907于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P	★★★★★ (2)	Use a concentration of 5 - 10 µg/ml. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

靶标


功能	Receptor for the glycosphingolipid psychosine (PSY) and several related glycosphingolipids. May have a role in activation-induced cell death or differentiation of T-cells.
组织特异性	Predominantly expressed in thymus, spleen, lymph nodes, small intestine, lung, placenta and peripheral blood leukocytes.
序列相似性	Belongs to the G-protein coupled receptor 1 family.
细胞定位	Cell membrane.

图片




Formalin-fixed, paraffin-embedded human lymph node tissue stained for GPCR GPR65/TDAG8 with ab188907 at 10 µg/ml in immunohistochemical analysis.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-GPCR GPR65/TDAG8 antibody (ab188907)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-GPCR GPR65/TDAG8 antibody (ab188907)

Formalin-fixed, paraffin-embedded human tonsil tissue stained for GPCR GPR65/TDAG8 with ab188907 at 10 µg/ml in immunohistochemical analysis.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-GPCR GPR65/TDAG8 antibody (ab188907)

Formalin-fixed, paraffin-embedded human tonsil tissue stained for GPCR GPR65/TDAG8 with ab188907 at 10 µg/ml in immunohistochemical analysis.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors