

Anti-Hepatitis B Virus Core Antigen antibody [14E11] ab8638

14 References

概述

产品名称	抗乙型肝炎病毒Core Antigen抗体[14E11]
描述	小鼠单克隆抗体[14E11] to乙型肝炎病毒Core Antigen
宿主	Mouse
特异性	ab8638 was raised against serotype ayw but will work with all other genotypes.
经测试应用	适用于: ELISA, IHC-FoFr, IHC-Fr, ICC/IF, IP, IHC-P, WB
种属反应性	与反应: Hepatitis B virus
免疫原	Tissue, cells or virus corresponding to Hepatitis B Virus Core Antigen. Purified Denatured Hepatitis B Core Antigen
表位	135-141aa (PNAPILS)
常规说明	<p>This product is raised in the same, but denatured, HBcAg protein sequence as ab8637, hence have more robust activity in denaturing western blots/IF etc.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
克隆	单克隆
克隆编号	14E11
骨髓瘤	Sp2/0
同种型	IgG2b
轻链类型	kappa

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用ab8638于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ELISA		Use at an assay dependent concentration.
IHC-FoFr		1/100.
IHC-Fr		1/100.
ICC/IF		Use at an assay dependent concentration.
IP		Use at an assay dependent concentration.
IHC-P		1/100.
WB		1/1000.

靶标

相关性 Hepatitis B Virus Core Antigen (HBcAg) is part of the infectious virion containing an inner "core particle" enclosing the viral genome. The icosahedral core particle contains 180 or 240 copies of the core protein. HBcAg is one of the three major clinical antigens of hepatitis B virus but disappears early in the course of infection. The hepatitis B virus core antigen (HBcAg) is a highly immunogenic subviral particle and functions as both a T-cell-dependent and a T-cell-independent antigen. Therefore, HBcAg may be a promising candidate target for therapeutic vaccine control of chronic HBV infection.

细胞定位 Capsid protein: Virion. Host cytoplasm, hepatocyte nucleus.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors