

Anti-Hepatitis C Virus Core 1b antibody [C7-50] ab2740

★★★★★ **3 Abreviews** **90 References**

概述

产品名称	抗丙型肝炎病毒Core 1b抗体[C7-50]
描述	小鼠单克隆抗体[C7-50] to丙型肝炎病毒Core 1b
宿主	Mouse
特异性	Detects hepatitis C virus (HCV) core protein from transfected human and primate cell lines.
经测试应用	适用于: IP, Flow Cyt, ELISA, WB
种属反应性	与反应: Hepatitis C virus
免疫原	Recombinant full length protein (GST-tag) corresponding to Hepatitis C Virus Core 1b.
表位	This antibody recognizes an epitope between amino acid residues 21-40 of HCV core protein. This sequence is conserved among different HCV strains.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	Preservative: 0.05% Sodium azide Constituent: PBS
纯度	Protein A purified
克隆	单克隆
克隆编号	C7-50
同种型	IgG1

The Abpromise guarantee **Abpromise™**承诺保证使用ab2740于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IP		Use at an assay dependent concentration.
Flow Cyt		1/100. ab170190 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.
ELISA		Use at an assay dependent concentration.
WB	★★★★★ (1)	Use a concentration of 1 µg/ml. This antibody detects a single ~21 kDa protein representing HCV core protein in various transfected cell lines.

靶标

相关性	HCV (Hepatitis C Virus) viral core protein forms the internal viral coat that encapsidates the genomic RNA and is enveloped in a host cell-derived lipid membrane. The hepatitis C virus (HCV) core protein represents the first 177 amino acids of the viral precursor polyprotein and is cotranslationally inserted into the membrane of the endoplasmic reticulum. The N terminus of the core protein is involved in transcriptional repression. There are over 20 different subtypes of Hepatitis C Virus; HCV type 1b is mostly found in Europe and Asia. The prevalence of HCV type 1b infection has recently decreased, although it still accounts for most HCV-related cirrhosis and hepatocellular carcinoma. High HCV viremia levels and HCV genotype type 1b are independent predictors for poor response to interferon-alpha therapy. HCV core protein is among the most conserved proteins in HCV and is known to induce sensitization of cytotoxic T lymphocytes (CTL). Therefore, it is a prime candidate for a component of a potential HCV vaccine.
细胞定位	Secreted; Host endoplasmic reticulum membrane; Single-pass membrane protein; Host nucleus; Host cytoplasm.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors