abcam

Product datasheet

Anti-Histone H2A (phospho S129) antibody ab17353

9 References 1 图像

概述

产品名称 Anti-Histone H2A (phospho S129)抗体

描述 兔多克隆抗体to Histone H2A (phospho S129)

宿主 Rabbit

经测试应用 适用于: WB

种属反应性 与反应: Schizosaccharomyces pombe

预测可用于: Saccharomyces cerevisiae 4

免疫原 Synthetic peptide corresponding to Schizosaccharomyces pombe Histone H2A aa 100 to the C-

terminus (C terminal) (phospho S129) conjugated to keyhole limpet haemocyanin.

Database link: P04910

(Peptide available as ab17576)

阳性对照 S. pombe lysate

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising

scientific support team who will be happy to help.

1

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab17353于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 15.5 kDa (predicted molecular weight: 15.5 kDa).

靶标

功能 Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting

DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of

histones, also called histone code, and nucleosome remodeling.

序列相似性 Belongs to the histone H2A family.

翻译后修饰 The chromatin-associated form is phosphorylated on Thr-121 during mitosis.

Deiminated on Arg-4 in granulocytes upon calcium entry.

Monoubiquitination of Lys-120 by RING1 and RNF2/RING2 complex gives a specific tag for epigenetic transcriptional repression and participates in X chromosome inactivation of female mammals. It is involved in the initiation of both imprinted and random X inactivation. Ubiquitinated

H2A is enriched in inactive X chromosome chromatin. Ubiquitination of H2A functions downstream of methylation of 'Lys-27' of histone H3. Monoubiquitination of Lys-120 by

RNF2/RING2 can also be induced by ultraviolet and may be involved in DNA repair. Following DNA double-strand breaks (DSBs), it is ubiquitinated through 'Lys-63' linkage of ubiquitin moieties by the E2 ligase UBE2N and the E3 ligases RNF8 and RNF168, leading to the

recruitment of repair proteins to sites of DNA damage. Monoubiquitination and ionizing radiation-induced 'Lys-63'-linked ubiquitination are distinct events.

Phosphorylation on Ser-2 is enhanced during mitosis. Phosphorylation on Ser-2 by

RPS6KA5/MSK1 directly represses transcription. Acetylation of H3 inhibits Ser-2 phosphorylation


by RPS6KA5/MSK1.

Symmetric dimethylation on Arg-4 by the PRDM1/PRMT5 complex may play a crucial role in the

germ-cell lineage.

细胞定位 Nucleus. Chromosome.

图片



ab17353 recognised a band of the predicted size in S. pombe lysate (lane 1). This band was blocked by the immunising peptide (lane 2) but not by the unmodified version of the immunising peptide (lane 3). This suggests specificity for the modified residue.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors