

HRP Anti-Myc tag antibody ab1326

★★★★★ [3 Abreviews](#) [25 References](#)

概述

产品名称	HRP Anti-Myc tag抗体
描述	HRP兔多克隆抗体to Myc tag
宿主	Rabbit
偶联物	HRP
特异性	In a direct ELISA against 1 ug of C-Myc peptide coupled to BSA, conjugate diluted to 1/20,000 produced a 1.0 OD in a 15 minute reaction with TMB as substrate.
经测试应用	适用于: ELISA, WB, ICC
免疫原	Synthetic peptide corresponding to Myc tag conjugated to keyhole limpet haemocyanin. (Peptide available as ab13837)

 [Run BLAST with](#)

 [Run BLAST with](#)

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	pH: 7.00 Preservative: 0.002% Thimerosal (merthiolate) Constituents: 1.19% HEPES, 0.58% Sodium chloride, 0.2% BSA
纯度	Affinity purified
纯化说明	Antibodies were immunoaffinity purified using the peptide conjugated to a solid phase support, and conjugated to horseradish peroxidase.
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab1326于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ELISA		1/5000 - 1/20000.
WB	★★★★★ (3)	1/1000 - 1/5000.
ICC		1/200 - 1/500.

靶标

相关性	Epitope tags are short peptide sequences that are easily recognized by tag-specific antibodies. Due to their small size, epitope tags do not affect the tagged protein's biochemical properties. Most often sequences encoding the epitope tag are included with target DNA at the time of cloning to produce fusion proteins containing the epitope tag sequence. This allows anti-epitope tag antibodies to serve as universal detection reagents for any tag containing protein produced by recombinant means. This means that anti-epitope tag antibodies are a useful alternative to generating specific antibodies to identify, immunoprecipitate or immunoaffinity purify a recombinant protein. The anti-epitope tag antibody is usually functional in a variety of antibody-dependent experimental procedures. Expression vectors producing epitope tag fusion proteins are available for a variety of host expression systems including bacteria, yeast, insect and mammalian cells.
细胞定位	Nuclear

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors