

Anti-HSV1 antibody ab9533

★★★★★ [2 Abreviews](#) [31 References](#) [2 图像](#)

概述

产品名称	Anti-HSV1抗体
描述	兔多克隆抗体to HSV1
宿主	Rabbit
经测试应用	适用于: IHC-P
种属反应性	与反应: Herpes simplex virus
免疫原	Tissue, cells or virus corresponding to HSV1. Whole rabbit corneal cells, infected with herpes simplex virus type I (strain Mac Intyre), were solubilized with detergent.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.3 Preservative: 0.05% Sodium azide Constituent: 1% BSA
纯度	Protein A purified
克隆	多克隆
骨髓瘤	unknown
同种型	IgG
轻链类型	unknown

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab9533于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
IHC-P	★★★★★ (1)	Use at an assay dependent concentration. This antibody may be diluted to a titer of 1:75-1:200 in an ABC method. We suggest an incubation period of 30-60 minutes at room temperature. Pretreat with citrate buffer pH 6.0.

靶标

相关性


Herpes simplex type 1 (HSV-1) belongs to a family that includes HSV-2, Epstein-Barr virus (EBV) and Varicella zoster (chicken pox) virus amongst others. HSV-1 and HSV-2 are extremely difficult to distinguish from each other. Members of this family have a characteristic virion structure. The double stranded DNA genome is contained within an icosahedral capsid embedded in a proteinaceous layer (tegument) and surrounded by a lipid envelope, derived from the nuclear membrane of the last host, which is decorated with virus-specific glycoproteins spikes. These viruses are capable of entering a latent phase where the host shows no visible sign of infection and levels of infectious agent become very low.

图片



Formalin-fixed, paraffin-embedded HSV1-infected human tissue stained for HSV1 with ab9533 in immunohistochemical analysis.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-HSV1 antibody (ab9533)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-HSV1 antibody (ab9533)

Formalin-fixed, paraffin-embedded HSV1-infected human tissue stained for HSV1 with ab9533 in immunohistochemical analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors