

### Anti-IFI16 antibody [2E3] ab55328

★★★★★ [4 Abreviews](#) [22 References](#) [4 图像](#)

#### 概述

产品名称	Anti-IFI16抗体[2E3]
描述	小鼠单克隆抗体[2E3] to IFI16
宿主	Mouse
经测试应用	适用于: WB, IHC-P, ICC/IF, Flow Cyt, Purification
种属反应性	与反应: Human
免疫原	Recombinant fragment: FVNGVFEVHK KNVRGEFTYY EIQDNTGKME VVVHGRLTTI NCEEGLKLLK TCFELAPKSG NTGELRSVIH SHIKVIKTRK NKKDILNPDS SMETSPDFFF , corresponding to amino acids 630-730 of Human IFI16 <a href="#">Run BLAST with ExPASy</a> <a href="#">Run BLAST with NCBI</a>
常规说明	<p>This product was changed from ascites to tissue culture supernatant on 24/1/19. Please note that the dilutions may need to be adjusted accordingly. If you have any questions, please do not hesitate to contact our scientific support team.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.4
纯度	Tissue culture supernatant
纯化说明	Purified from TCS.
克隆	单克隆
克隆编号	2E3

同种型 IgG2b  
轻链类型 kappa

## 应用

**The Abpromise guarantee** **Abpromise™**承诺保证使用ab55328于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB	★★★★★ (2)	Use at an assay dependent concentration. Predicted molecular weight: 88 kDa.
IHC-P		Use at an assay dependent concentration.
ICC/IF	★★★★★ (2)	Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration.
Purification		Use at an assay dependent concentration. PubMed: 22691496

## 靶标

**相关性** Interferon (IFN) Inducible 16 (IFI16) protein belongs to a family of HIN 200 human and mouse proteins. IFI16 is a nuclear protein containing regulatory domains such as DNA binding domain, transcriptional regulatory domain and DAPIN/PAAD domain. IFI16 has three isoforms A, B, and C (85-95 kDa), which arise as a result of mRNA alternative splicing. All are phosphorylated on serine and threonine residues and can homo and heterodimerize. Expression is restricted to the nuclei of hematopoietic cells, fibroblasts and epithelial cells. IFI16 expression in hematopoietic cells of myeloid lineage is tightly regulated and highly induced in the differentiation and proliferation of the cell. Due to its localization in the nucleus, regulation of protein expression, and ability to bind DNA, it is assumed that IFI16 has a role in transcription regulation of cell differentiation. In addition, it was found that IFI16 can act as a transcriptional repressor and is involved in regulation and activation of p53 in cancer cells.

**细胞定位** Nucleus. Cytoplasm. Note: Cellular distribution is dependent on the acetylation status of the multipartite nuclear localization signal (NLS); NLS acetylation promotes cytoplasmic localization.

## 图片



Western blot - Anti-IFI16 antibody [2E3] (ab55328)

This image is courtesy of an Abreview submitted by Jason Dehart

**All lanes :** Anti-IFI16 antibody [2E3] (ab55328) at 1/1000 dilution

**Lane 1 :** Human sjsa1 whole cell lysate without siRNA to IFI16

**Lane 2 :** Human sjsa1 whole cell lysate with siRNA to IFI16

Lysates/proteins at 30 µg per lane.

**Secondary**

**All lanes :** IRDye® 680-conjugated Mouse anti-mouse IgG polyclonal at 1/5000 dilution


Performed under reducing conditions.

**Predicted band size:** 88 kDa

**Observed band size:** 98 kDa

**Exposure time:** 5 minutes


**This image was generated using the ascites version of the product.**



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IFI16 antibody [2E3] (ab55328)

IFI16 antibody (ab55328) used in immunohistochemistry at 3µg/ml on formalin fixed and paraffin embedded human tonsil.


**This image was generated using the ascites version of the product.**



Western blot - Anti-IFI16 antibody [2E3] (ab55328)

IFI16 antibody (ab55328) at 1 µg/lane + HeLa cell lysate at 25 µg/lane.

**This image was generated using the ascites version of the product.**



Flow Cytometry - Anti-IFI16 antibody [2E3] (ab55328)

Overlay histogram showing Jurkat cells stained with ab55328 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab55328, 1 µg/1x10<sup>6</sup> cells) for 30 min at 22°C. The secondary antibody used was DyLight<sup>®</sup> 488 goat anti-mouse IgG (H+L) (**ab96879**) at 1/500 dilution for 30 min at 22°C. Isotype control antibody (black line) was mouse IgG2b [PLPV219] (**ab91366**, 2 µg/1x10<sup>6</sup> cells) used under the same conditions.

Acquisition of >5,000 events was performed. This antibody gave a positive signal in Jurkat cells fixed with 4% paraformaldehyde (10 min)/permeabilized with 0.1% PBS-Tween for 20 min used under the same conditions.

**This image was generated using the ascites version of the product.**

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors