


Anti-INPP4A antibody [EP3425(2)] ab109622

敲除验证 重组 RabMAb

★★★★★ 1 Abreviews 2 References 4 图像

概述

产品名称	Anti-INPP4A抗体[EP3425(2)]
描述	兔单克隆抗体[EP3425(2)] to INPP4A
宿主	Rabbit
经测试应用	适用于: WB, IHC-P 不适用于: Flow Cyt or IP
种属反应性	与反应: Mouse, Human 预测可用于: Rat 
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性对照	Fetal brain and Jurkat cell lysates. Human brain tissue.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 50% Glycerol (glycerin, glycerine), 49% PBS, 0.05% BSA
纯度	Protein A purified
克隆	单克隆
克隆编号	EP3425(2)
同种型	IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab109622于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB	★★★★★ (1)	1/1000 - 1/10000. Detects a band of approximately 104 kDa (predicted molecular weight: 110 kDa).
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. (Heat to 98°C, allow to cool for 10-20 minutes)

应用说明 Is unsuitable for Flow Cyt or IP.

靶标

功能	Catalyzes the hydrolysis of the 4-position phosphate of phosphatidylinositol 3,4-bisphosphate, inositol 1,3,4-trisphosphate and inositol 3,4-bisphosphate.
组织特异性	Isoform 1 is expressed in the platelets, MEG-01 megakaryocytes and Jurkat T-cells. Isoform 2 is expressed in the brain.
通路	Signal transduction; phosphatidylinositol signaling pathway.
序列相似性	Belongs to the inositol-3,4-bisphosphate 4-phosphatase family. Contains 1 C2 domain.


图片



Lane 1: Wild-type HAP1 cell lysate (20 µg)
Lane 2: INPP4A knockout HAP1 cell lysate (20 µg)
Lane 3: Jurkat cell lysate (20 µg)
Lane 4: Human foetal brain tissue lysate (20 µg)
Lanes 1 - 4: Merged signal (red and green). Green - ab109622 observed at 100 kDa. Red - loading control, [ab8245](#), observed at 37 kDa.

ab109622 was shown to specifically react with INPP4A when INPP4A knockout samples were used, along with additional cross-reactive bands. Wild-type and INPP4A knockout samples were subjected to SDS-PAGE. Ab109622 and [ab8245](#) (loading control to GAPDH) were diluted at 1/500 and 1/10,000 dilution respectively and incubated overnight at 4C. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed ([ab216773](#)) and Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed ([ab216773](#)) secondary antibodies at 1/10000 dilution for 1 hour at

room temperature before imaging.



Western blot - Anti-INPP4A antibody [EP3425(2)] (ab109622)

All lanes : Anti-INPP4A antibody [EP3425(2)] (ab109622) at 1/1000 dilution

Lane 1 : Fetal brain lysate

Lane 2 : Jurkat cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP-labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 110 kDa

Observed band size: 104 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-INPP4A antibody [EP3425(2)] (ab109622)

ab109622 at 1/100 dilution staining INPP4A in paraffin-embedded Human brain tissue by Immunohistochemistry.

Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-INPP4A antibody [EP3425(2)] (ab109622)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors