# abcam

## Product datasheet

# Anti-IPL-1/STK13/Aurora C antibody [EP1011Y] ab46783



重组 RabMAb

#### 1 Abreviews 1 References 2 图像

#### 概述

产品名称 Anti-IPL-1/STK13/Aurora C抗体[EP1011Y]

描述 兔单克隆抗体[EP1011Y] to IPL-1/STK13/Aurora C

宿主 Rabbit

特异性 This antibody is not recommended in tissue lysate testing.

经测试应用 适用于: WB

不适用于: ICC/IF

种属反应性 与反应: Human

免疫原 Synthetic peptide within Human IPL-1/STK13/Aurora C aa 1-100 (N terminal). The exact

sequence is proprietary.

阳性对照 HepG2 cell lysate

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

#### 性能

形式

存放说明 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

存储溶液 pH: 7.20

Preservative: 0.05% Sodium azide

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

纯度 Protein A purified

单克隆 克隆

**克隆编号** EP1011Y

**同种型** IgG

#### 应用

## The Abpromise guarantee Abpromise™承诺保证使用ab46783于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/1000. Detects a band of approximately 36 kDa (predicted molecular weight: 36 kDa).

应用说明 Is unsuitable for ICC/IF.

靶标

功能 May play a part in organizing microtubules in relation to the function of the centrosome/spindle

pole during mitosis. May also contribute to the regulation of chromosome segregation and

cytokinesis

组织特异性 Isoform 1 and isoform 2 are expressed in testis. Elevated expression levels were seen only in a

subset of cancer cells such as HepG2, HuH7 and HeLa cells. Expression is maximum at M

hase.

疾病相关 Defects in AURKC are the cause of male infertility with large-headed multiflagellar polyploid

spermatozoa (MIMPS) [MIM:243060]; also known as infertility associated with multi-tailed

spermatozoa and excessive DNA.

序列相似性 Belongs to the protein kinase superfamily. Ser/Thr protein kinase family. Aurora subfamily.


Contains 1 protein kinase domain.

细胞定位 Chromosome. Cytoplasm > cytoskeleton > spindle. Distributes in the condensed chromosomes

during prophase to metaphase. After entering anaphase, there is a dissociation from separated chromosomes and a redistribution to midzone microtubules, and finally remaines in the midbody

during cytokinesis.

图片




[EP1011Y] (ab46783)

Anti-IPL-1/STK13/Aurora C antibody [EP1011Y] (ab46783) at 1/1000 dilution + HepG2 lysate at 10  $\mu$ g

# **Secondary** goat anti rabbit HRP

**Predicted band size:** 36 kDa **Observed band size:** 36 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors