abcam

Product datasheet

Anti-JAK3 antibody ab125296

1 图像

概述

产品名称 Anti-JAK3抗体

描述 兔多克隆抗体to JAK3

宿主 Rabbit

适用于: WB 经测试应用

种属反应性 与反应: Human

预测可用于: Chimpanzee, Macaque monkey 4

免疫原 Synthetic peptide corresponding to Human JAK3 aa 1100 to the C-terminus (C terminal)

conjugated to keyhole limpet haemocyanin.

Database link: P52333

阳性对照 This antibody gave a positive signal in TF-1 whole cell lysate

常规说明 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

> Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising

agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

纯度 Immunogen affinity purified

克隆 多克隆

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab125296于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 125 kDa (predicted molecular weight: 125 kDa).

10m	1-
44	杯
ᇺ	'γŢ

功能 Tyrosine kinase of the non-receptor type, involved in the interleukin-2 and interleukin-4 signaling

pathway. Phosphorylates STAT6, IRS1, IRS2 and PI3K.

组织特异性 In NK cells and an NK-like cell line but not in resting T-cells or in other tissues. The S-form is more

commonly seen in hematopoietic lines, whereas the B-form is detected in cells both of

hematopoietic and epithelial origins.

疾病相关 Defects in JAK3 are a cause of severe combined immunodeficiency autosomal recessive T-cell-

negative/B-cell-positive/NK-cell-negative (T(-)B(+)NK(-) SCID) [MIM:600802]. A form of severe combined immunodeficiency (SCID), a genetically and clinically heterogeneous group of rare congenital disorders characterized by impairment of both humoral and cell-mediated immunity, leukopenia, and low or absent antibody levels. Patients present in infancy recurrent, persistent infections by opportunistic organisms. The common characteristic of all types of SCID is absence

of T-cell-mediated cellular immunity due to a defect in T-cell development.

序列相似性 Belongs to the protein kinase superfamily. Tyr protein kinase family. JAK subfamily.

Contains 1 FERM domain.

Contains 1 protein kinase domain.

Contains 1 SH2 domain.

结**构域** Possesses two phosphotransferase domains. The second one probably contains the catalytic


domain (By similarity), while the presence of slight differences suggest a different role for domain

1.

翻译后修饰 Tyrosine phosphorylated in response to IL-2 and IL-4.

细胞定位 Endomembrane system. Wholly intracellular, possibly membrane associated.

图片



Anti-JAK3 antibody (ab125296) at 1 μ g/ml (Milk blocking - 1%) + TF-1 (Human erythroleukaemic cell line) Whole Cell Lysate at 25 μ g

Secondary

Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/10000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 125 kDa Observed band size: 125 kDa

Exposure time: 8 minutes

This blot was produced using a 10% Bis-tris gel under the MOPS buffer system. The gel was run at 200V for 50 minutes before being transferred onto a Nitrocellulose membrane at 30V for 70 minutes. The membrane was then blocked for an hour using 1% Milk before being incubated with ab125296 overnight at 4°C. Antibody binding was detected using an anti-rabbit antibody conjugated to HRP, and visualised using ECL development solution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors