

Anti-KA1 antibody ab67404

3 References [1 图像](#)

概述

产品名称	Anti-KA1抗体
描述	兔多克隆抗体to KA1
宿主	Rabbit
经测试应用	适用于: WB
种属反应性	与反应: Rat
免疫原	A 14 amino acid peptide near the amino terminus of human KA1.
阳性对照	Rat brain lysate
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用ab67404于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 0.5 - 2 µg/ml. Detects a band of approximately <97 kDa (predicted molecular weight: 107 kDa).

靶标

功能	Receptor for glutamate. L-glutamate acts as an excitatory neurotransmitter at many synapses in the central nervous system. The postsynaptic actions of Glu are mediated by a variety of receptors that are named according to their selective agonists.
序列相似性	Belongs to the glutamate-gated ion channel (TC 1.A.10.1) family. GRIK4 subfamily.
细胞定位	Cell membrane. Cell junction > synapse > postsynaptic cell membrane.

图片



Lane 1 : Anti-KA1 antibody (ab67404) at 0.5 µg/ml

Lane 2 : Anti-KA1 antibody (ab67404) at 1 µg/ml

Lane 3 : Anti-KA1 antibody (ab67404) at 2 µg/ml

All lanes : rat brain lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 107 kDa

Observed band size: <97 kDa

Additional bands at: 108 kDa. We are unsure as to the identity of these extra bands.

N.B. Despite its predicted molecular weight, KA1 often migrates at a lower molecular weight in SDS-PAGE.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors