

Anti-KIAA0319L antibody - BSA and Azide free ab105385

★★★★★ [4 Abreviews](#) [13 References](#) [2 图像](#)

概述

产品名称	Anti-KIAA0319L 抗体- BSA and Azide free
描述	小鼠多克隆抗体 to KIAA0319L - BSA and Azide free
宿主	Mouse
经测试应用	适用于: WB
种属反应性	与反应: Human
免疫原	Recombinant full length protein within KIAA0319L. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please contact our Scientific Support team to discuss your requirements.
阳性对照	Antibody reactive against mammalian transfected lysate
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.4 Constituent: PBS
无载体	是
纯度	Protein A purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab105385于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB	★★★★★ (2)	1/500 - 1/1000. Detects a band of approximately 145 kDa (predicted molecular weight: 116 kDa).

靶标

功能	Possible role in axon guidance through interaction with RTN4R.
组织特异性	Expressed in cortical neurons in the brain cortex (at protein level).
序列相似性	Contains 1 MANSC domain. Contains 5 PKD domains.
翻译后修饰	N-glycosylated.
细胞定位	Cytoplasmic granule membrane.

图片



All lanes : Anti-KIAA0319L antibody - BSA and Azide free (ab105385) at 1/500 dilution

Lane 1 : KIAA0319L transfected 293T cell lysate

Lane 2 : Non-transfected 293T cell lysate


Lysates/proteins at 25 µg per lane.

Secondary

All lanes : Goat Anti-Mouse IgG (H&L)-HRP at 1/2500 dilution

Predicted band size: 116 kDa

Observed band size: 150 kDa



Anti-KIAA0319L antibody - BSA and Azide free (ab105385) at
1/500 dilution + human kidney tissue lysate at 25 µg

Secondary

Goat Anti-Mouse IgG (H&L)-HRP at 1/2500 dilution

Predicted band size: 116 kDa

Observed band size: 150 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors