abcam

Product datasheet

Anti-MLKL (phospho S358) antibody [EPR9514] - BSA and Azide free ab208909



重组 RabMAb

4 References 4 图像

概述

产品名称 Anti-MLKL (phospho S358)抗体[EPR9514] - BSA and Azide free

描述 兔单克隆抗体[EPR9514] to MLKL (phospho S358) - BSA and Azide free

宿主 Rabbit

特异性 Stimulation may be required to allow detection of the phosphorylated protein. Please see images

below for recommended treatment conditions and positive controls.

经测试应用 适用于: Dot blot, WB, IHC-P

种属反应性 与反应: Human

不与反应: Mouse, Rat

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

(Peptide available as ab206929)

阳性对照 HT-29 cell lysate treated with TNF alpha+ Smac mimetic+ z-VAD HT-29 cells were treated with

the indicated stimuli for 8 hr and then harvested. The ?nal concentrations of 20 ng/ml TNF-a, 100

nM Smac mimetic, and 20 mM z-VAD were used to induce necrosis

常规说明 ab208909 is the carrier-free version of ab187091.

This antibody was developed through collaboration with the lab of Xiaodong Wang at the National

Institute of Biological Sciences, Beijing.

Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of

BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for

increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes,

oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP,

biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the

need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C. Do Not Freeze.

存储溶液 pH: 7.2

Constituent: PBS

纯**度** Protein A purified

 克隆
 单克隆

 克隆编号
 EPR9514

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab208909于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
Dot blot		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration. Predicted molecular weight: 54 kDa.Can be blocked with <u>Human MLKL (phospho</u> S358) peptide (ab206929).
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. Not Suitable for Mouse and Rat

靶标


序列相似性 Belongs to the protein kinase superfamily.

Contains 1 protein kinase domain.

结**构域** The protein kinase domain is predicted to be catalytically inactive.



Dot Blot - Anti-MLKL (phospho S358) antibody [EPR9514] - BSA and Azide free (ab208909)



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-MLKL (phospho S358) antibody [EPR9514] - BSA and Azide free (ab208909)

Dot blot analysis of MLKL peptides using <u>ab187091</u> at 1/1000 dilution followed by Goat Anti-Rabbit lgG, (H+L),Peroxidase conjugated secondary antibody at 1/1000 dilution. Blocking and diluting buffer was 5% NFDM/TBST, exposure time 3 minuts.

Lane 1: MLKL (pT357) phospho peptide

Lane 2: MLKL (pS358) phospho peptide

Lane 3: MLKL (pT357/pS358) phospho peptide

Lane 4: MLKL non-phospho peptide


This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (<u>ab187091</u>).

<u>ab187091</u> at 1:250 staining MLKL (phospho S358) in Human melanoma tissue by immunohistochemistry (FFPE).

Antigen retrival required on FFPE tissue: HIER using 10mM Citrate buffer pH 6.0, **see recommended HIER protocol**

For additional IHC guideline, please see **IHC resource page**

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab187091).




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-MLKL (phospho S358) antibody [EPR9514] - BSA and Azide free (ab208909)

This IHC data was generated using the same anti-MLKL (phospho S358) in a different buffer formulation (cat# <u>ab187091</u>).

<u>ab187091</u> at 1:250 staining MLKL (phospho S358) in Human skin tissue by immunohistochemistry (FFPE).

Antigen retrival required on FFPE tissue: HIER using 10mM Citrate buffer pH 6.0, see <u>recommended HIER protocol</u>

For additional IHC guideline, please see IHC resource page



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

BSA and Azide free (ab208909)

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors