

# Mouse IgG1, kappa monoclonal [MOPC-21] - isotype control ab18443

## 39 References

### 概述

---

产品名称	小鼠IgG1, kappa单克隆抗体[MOPC-21]-同型对照
特异性	MOPC-21 immunoglobulin has unknown specificity and was chosen as an isotype control after screening on a variety of resting, activated, live and fixed rat and human tissues.
经测试应用	<b>适用于:</b> IHC-P, IHC-Fr, Flow Cyt, IP, WB
免疫原	Other Immunogen Type corresponding to Mouse. There is no immunogen for this product because it was not generated through a hybridoma. It was generated by the myeloma of a mouse that was fed mineral oil.
常规说明	<p>ab18443 MOPC-21 immunoglobulin is useful as an isotype-matched control in Western blotting, immunoprecipitation, immunohistochemical staining, bioassay and immunofluorescent staining (surface or intracellular) for flow cytometric analysis.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 性能

---

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	pH: 7.20 Preservative: 0.09% Sodium azide Constituent: PBS
纯度	Protein G purified
Isotype control说明	<b>ab18433</b> MOPC-21 immunoglobulin is useful as an isotype-matched control in Western blotting, immunoprecipitation, immunohistochemical staining, bioassay and immunofluorescent staining (surface or intracellular) for flow cytometric analysis.

克隆	单克隆
克隆编号	MOPC-21
同种型	IgG1
轻链类型	kappa

## 应用

**The Abpromise guarantee**      **Abpromise™**承诺保证使用ab18443于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration. Suitable for surface or intracellular staining.
IP		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors