abcam

Product datasheet

Anti-NFYC antibody ab104258

2 图像

概述

产品名称 Anti-NFYC抗体

描述 兔多克隆抗体to NFYC

宿主 Rabbit

经测试应用 适用于: IHC-P

种属反应性 与反应: Mouse, Human

预测可用于: Guinea pig, Cow, Dog, Chimpanzee, Rhesus monkey, Gorilla, Orangutan, Elephant

A

免疫原 Synthetic peptide corresponding to a region within amino acids 408-458 of Human NFYC

(CAI16533.1).

阳性对照 Human Breast Carcinoma, Colon Carcinoma, Lung Adenocarcinoma, Ovarian Carcinoma,

Prostate Carcinoma, Stomach Adenocarcinoma and Testicular Seminoma, Mouse Colon

Carcinoma CT26, Hybridoma Tumor and Renal Cell Carcinoma.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 pH: 6.8

Preservative: 0.09% Sodium azide

Constituents: Tris buffered saline, 0.1% BSA

纯**度** Immunogen affinity purified

 克隆
 多克隆

 同种型
 IqG

1

The Abpromise guarantee

Abpromise™承诺保证使用ab104258于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		1/100 - 1/500. Antigen retrieval is recommended. Antigen retrieval with citrate buffer will enhance staining.

靶标


功能 Stimulates the transcription of various genes by recognizing and binding to a CCAAT motif in

promoters, for example in type 1 collagen, albumin and beta-actin genes.

序列相似性 Belongs to the NFYC/HAP5 subunit family.


细胞定位 Nucleus.

图片



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-NFYC antibody (ab104258)

ab104258, at 1/250 dilution, staining NFYC in formalin-fixed, paraffin-embedded Human breast carcinoma by Immunohistochemistry using DAB staining.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-NFYC antibody (ab104258)

ab104258, at 1/250 dilution, staining NFYC in formalin-fixed, paraffin-embedded Mouse renal cell carcinoma by Immunohistochemistry using DAB staining.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors