abcam

Product datasheet

Anti-Ocular development associated gene antibody [GATA9A1D3] ab50816

★★★★★ <u>1 Abreviews</u> <u>1 References</u> 3 图像

概述

产品名称	Anti-Ocular development associated gene抗体[GATA9A1D3]		
描述	小鼠单克隆抗体[GATA9A1D3] to Ocular development associated gene		
宿主	Mouse		
经测试应 用	适用于: ICC/IF, WB		
种属反 应性	与反应: Mouse, Human		
免疫原	Recombinant fragment (Human)		
阳性 对照	HeLa and NIH3T3 cells or whole cell lysates.		
常 规说 明	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.		
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As		

性能 形式 Liquid 存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. 存储溶液 pH: 7.40 Preservative: 0.05% Sodium azide Constituents: 1% BSA, PBS 纯**度** Protein G purified 克隆 单**克隆** 克隆编号 GATA9A1D3 同种型 lgG2b


The Abpromise guarantee Abpromise ™承诺保证使用ab50816于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		1/10.
WB		1/100. Detects a band of approximately 29 kDa (predicted molecular weight: 29 kDa).

靶 标	
相关性	ODAG (Ocular development-associated gene), a novel transcription factor located on chromosome 7, encodes a protein that may play a role in eye development. mRNA profiling in multiple human tissue indicates that ODAG is expressed in human CD56+ NK cells and thyroid tissue
	tissue.
细 胞定位	Nuclear

图片



Western blot - Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816)


Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816) at 1/100 dilution + HeLa whole cell lysate at 50 µg

Secondary

anti-mouse IgG at 1/2500 dilution

Developed using the ECL technique.

Predicted band size: 29 kDa Observed band size: 29 kDa



Immunocytochemistry/ Immunofluorescence - Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816)

(kDa) 250 -150 -75 -50 -37 -25 -20 -15 - ab50816 at 1/10 dilution staining human GATAD1 in HeLa cells by Immunocytochemistry. AlexaFluor®488 Goat Anti-mouse IgG at 1/200 as secondary antibody.

Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816) at 1/100 dilution + NIH3T3 whole cell lysate at 50 μ g

Secondary anti-mouse IgG at 1/2500 dilution

Developed using the ECL technique.

Predicted band size: 29 kDa Observed band size: 29 kDa

Western blot - Anti-Ocular development associated gene antibody [GATA9A1D3] (ab50816)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors