abcam

Product datasheet

PE Anti-CD20 antibody [2H7] ab112461

1 图像

概述

产品名称 PE Anti-CD20抗体[2H7]

描述 PE小鼠单克隆抗体[2H7] to CD20

宿主 Mouse

偶联物 PE. Ex: 488nm, Em: 575nm

经测试应用 适用于: Flow Cyt

种属反应性 与反应: Human, Non human primates

免疫原 Human tonsillar B cells.

阳性对照 Flow Cyt: Human peripheral blood lymphocytes/

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

 $contact \ our \ Support \ team \ ahead \ of \ purchase. \ Recommended \ alternatives \ for \ this \ product \ can \ be$

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C. Do Not Freeze. Store In the Dark.

存储溶液 pH: 7.20

Preservative: 0.09% Sodium azide

Constituents: 0.1% Gelatin, 0.88% Sodium chloride, 0.12% Monobasic dihydrogen sodium

phosphate

纯**度** Affinity purified

 克隆
 单克隆

 克隆编号
 2H7

 同种型
 IqG2b

成田

1

The Abpromise guarantee

Abpromise™承诺保证使用ab112461于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use 5µl for 10 ⁵⁻⁸ cells. Use 5µl in a final volume of 100µl. ab91532 - Mouse monoclonal lgG2b, is suitable for use as an isotype control with this antibody.

靶标

功能 This protein may be involved in the regulation of B-cell activation and proliferation.

组织特异性 Expressed on B-cells.

疾病相关 Defects in MS4A1 are the cause of immunodeficiency common variable type 5 (CVID5)

[MIM:613495]; also called antibody deficiency due to CD20 defect. CVID5 is a primary immunodeficiency characterized by antibody deficiency, hypogammaglobulinemia, recurrent bacterial infections and an inability to mount an antibody response to antigen. The defect results from a failure of B-cell differentiation and impaired secretion of immunoglobulins; the numbers of


circulating B cells is usually in the normal range, but can be low.

序列相似性 Belongs to the MS4A family.

翻译后修饰 Phosphorylated. Might be functionally regulated by protein kinase(s).

细胞定位 Membrane.

图片



Human peripheral blood lymphocytes stained with $5\mu L$ (0.06 μg) ab112461 (solid line) or 0.06 μg PE-conjugated mouse lgG2b isotype control (dashed line).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors