abcam

Product datasheet

PE Anti-CD45RO antibody [UCHL1] ab77217

1 图像

概述

产**品名称** PE Anti-CD45RO**抗体**[UCHL1]

描述 PE小鼠单克隆抗体[UCHL1] to CD45RO

宿主 Mouse

偶联物 PE. Ex: 488nm, Em: 575nm

特异性 Recognizes CD45R0, a 180 kDa low molecular weight isoform of the leukocyte common antigen

(LCA). The antigen is expressed on a subset of memory/activated T cells and on cortical

thymocytes.

 经测试应用
 适用于: Flow Cyt

 种属反应性
 与反应: Human

免疫原 Tissue, cells or virus corresponding to Human CD45RO. Human IL-2 dependent T cells

阳性对照 Flow Cyt: Human peripheral blood lymphocytes.

常规说明 The conjugate is purified by size exclusion chromatography and adjusted for direct use in flow

cytometry.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C. Do Not Freeze. Store In the Dark.

存储溶液 Preservative: 0.09% Sodium azide

Constituents: 0.1% Gelatin, 0.88% Sodium chloride, 0.12% Monobasic dihydrogen sodium

phosphate

纯**度** Affinity purified

克隆 单克隆

1

克隆编号 UCHL1 同种型 lgG2a

应用

The Abpromise guarantee Abpromise™承诺保证使用ab77217于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use 5µl for 10 ⁵⁻⁸ cells. Use 5µl in a final volume of 100µl. ab91363 - Mouse monoclonal lgG2a, is suitable for use as an isotype control with this antibody.

功能 Protein tyrosine-protein phosphatase required for T-cell activation through the antigen receptor.

Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain has enzymatic activity, while the second one seems to affect the substrate specificity of the first one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN. Dephosphorylates

LYN, and thereby modulates LYN activity.

疾病相关

Defects in PTPRC are a cause of severe combined immunodeficiency autosomal recessive T-cell-negative/B-cell-positive/NK-cell-positive (T(-)B(+)NK(+) SCID) [MIM:608971]. A form of severe combined immunodeficiency (SCID), a genetically and clinically heterogeneous group of rare congenital disorders characterized by impairment of both humoral and cell-mediated immunity, leukopenia, and low or absent antibody levels. Patients present in infancy recurrent, persistent infections by opportunistic organisms. The common characteristic of all types of SCID is absence of T-cell-mediated cellular immunity due to a defect in T-cell development.

Genetic variations in PTPRC are involved in multiple sclerosis susceptibility (MS) [MIM:126200]. MS is a neurodegenerative disorder characterized by the gradual accumulation of focal plaques of demyelination particularly in the periventricular areas of the brain. Peripheral nerves are not affected. Onset usually in third or fourth decade with intermittent progression over an extended

period. The cause is still uncertain.

序列相似性 Belongs to the protein-tyrosine phosphatase family. Receptor class 1/6 subfamily.

Contains 2 fibronectin type-III domains.


Contains 2 tyrosine-protein phosphatase domains.

结**构域** The first PTPase domain interacts with SKAP1.

翻译后修饰 Heavily N- and O-glycosylated.

细胞定位 Membrane raft. Colocalized with DPP4 in membrane rafts.

图片



Human peripheral blood lymphocytes stained with 5μ L (0.5 μ g) ab77217 (solid line) or 0.5 μ g PE-conjugated mouse lgG2a isotype control (dashed line).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors