# abcam

### Product datasheet

# PE Anti-CD62L antibody [1H3] ab52069

#### 1 References

#### 概述

产品名称 PE Anti-CD62L抗体[1H3]

描述 PE小鼠单克隆抗体[1H3] to CD62L

**宿主** Mouse

**偶联物** PE. Ex: 488nm, Em: 575nm

经测试应用 适用于: Flow Cyt, Functional Studies

种属反应性 与反应: Human

免疫原 Tissue, cells or virus corresponding to CD62L.

Database link: P14151

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

**存放说明** Shipped at 4°C. Store at +4°C.

存储溶液 Preservative: 0.08% Sodium azide

Constituent: PBS

2% protein carrier.

纯**化说明** ab52069 is a purified lgG.

 克隆
 单克隆

 克隆编号
 1H3

 同种型
 lgG2a

 轻链类型
 kappa

1

#### The Abpromise guarantee

#### Abpromise™承诺保证使用ab52069于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		
Functional Studies		

应用说明 Flow Cyt: Use 10µl for 10<sup>6</sup> cells in 100µl, or for 100µl of whole blood.

FuncS: Use at an assay dependent dilution.

ab52069 can be used for monitoring of T cells in peripheral blood; study of Cell-adhesion

molecules; study of B cell functions; study of lymphomas and leukemias.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

靶标

功能 Cell surface adhesion protein. Mediates the adherence of lymphocytes to endothelial cells of high

endothelial venules in peripheral lymph nodes. Promotes initial tethering and rolling of leukocytes

in endothelia.

组织**特异性** Expressed in B cell lines and T lymphocytes.

**序列相似性** Belongs to the selectin/LECAM family.

Contains 1 C-type lectin domain.
Contains 1 EGF-like domain.

Contains 2 Sushi (CCP/SCR) domains.

细胞定位 Membrane.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors