

PE Anti-G9P antibody [mAb 33], prediluted ab106173

[4 References](#) [1 图像](#)

概述

| | |
|-------|---|
| 产品名称 | PE Anti-G9P抗体[mAb 33], prediluted |
| 描述 | PE小鼠单克隆抗体[mAb 33] to G9P, prediluted |
| 宿主 | Mouse |
| 偶联物 | PE. Ex: 488nm, Em: 575nm |
| 经测试应用 | 适用于: Flow Cyt |
| 种属反应性 | 与反应: Human |
| 免疫原 | Fusion protein corresponding to Human G9P. |
| 阳性对照 | Human Blood Cells |
| 常规说明 | <p>ab106173 recognizes extracellular portion of G9P, a 42 kDa natural killer (NK) cell marker. Cell surface expression and function of G9P depends on genotype of particular individuals.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p> |

性能

| | |
|--------------------|--|
| 形式 | Liquid |
| 存放说明 | Shipped at 4°C. Store at +4°C. |
| 存储溶液 | pH: 7.4 Preservative: 0.097% Sodium azide Constituents: 0.2% BSA, PBS |
| 纯度 | Size exclusion |
| Primary antibody说明 | ab106173 recognizes extracellular portion of KIR2DL4, a 42 kDa natural killer (NK) cell marker. Cell surface expression and function of KIR2DL4 depends on genotype of particular individuals. |
| 克隆 | 单克隆 |
| 克隆编号 | mAb 33 |

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab106173于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

| 应用 | Ab评论 | 说明 |
|----------|------|--|
| Flow Cyt | | Use 20µl for 10 ⁶ cells. ab91357 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody. |

靶标

| | |
|-------|--|
| 功能 | Receptor on natural killer (NK) cells for HLA-C alleles. Inhibits the activity of NK cells thus preventing cell lysis. |
| 序列相似性 | Belongs to the immunoglobulin superfamily. Contains 2 Ig-like C2-type (immunoglobulin-like) domains. |
| 细胞定位 | Cell membrane. |

图片



Surface staining of CD158d in human peripheral blood using ab106173 1 µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors