abcam

Product datasheet

PE Anti-SMAD5 antibody [EP619Y] ab213662



重组 RabMAb

2 图像

概述

产品名称 PE Anti-SMAD5抗体[EP619Y]

描述 PE兔单克隆抗体[EP619Y] to SMAD5

宿主 Rabbit

偶联物 PE. Ex: 488nm, Em: 575nm

经测试应用 适用于: Flow Cyt (Intra)

种属反应性 与反应: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 Flow Cyt (intra): HeLa cells.

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot. Store at +4°C. Do Not Freeze. Store In the Dark.

存储溶液 pH: 7.4

> Preservative: 0.02% Sodium azide Constituents: 1% BSA, PBS

纯度 Protein A purified

克隆 单克隆 克隆编号 **EP619Y**

同种型 lgG

The Abpromise guarantee

Abpromise™承诺保证使用ab213662于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt (Intra)		1/500. The cellular localisation of this product has been verified in ICC/IF.

靶标

功能 Transcriptional modulator activated by BMP (bone morphogenetic proteins) type 1 receptor

kinase. SMAD5 is a receptor-regulated SMAD (R-SMAD).

组织特异性 Ubiquitous.

序列相似性 Belongs to the dwarfin/SMAD family.

Contains 1 MH1 (MAD homology 1) domain. Contains 1 MH2 (MAD homology 2) domain.


翻译后修饰 Phosphorylated on serine by BMP (bone morphogenetic proteins) type 1 receptor kinase.

Ubiquitin-mediated proteolysis by SMAD-specific E3 ubiquitin ligase SMURF1.

细胞定位 Cytoplasm. Nucleus. Cytoplasmic in the absence of ligand. Migrates to the nucleus when

complexed with SMAD4.

图片




Flow Cytometry (Intracellular) - PE Anti-SMAD5 antibody [EP619Y] (ab213662)

Overlay histogram showing HeLa cells stained with ab213662 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab213662, 1/500 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was rabbit IgG (monoclonal) Phycoerythrin (<u>ab209478</u>) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 50mW Yellow/Green laser (561nm) and 586/15 bandpass filter.

This antibody gave a positive signal in HeLa cells fixed with 80% methanol (5 min)/permeabilized with 0.1% PBS-Triton X-100 for 15 min used under the same conditions.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors