


Anti-Peptide YY/PYY antibody ab22663

★★★★★ [5 Abreviews](#) [19 References](#) [4 图像](#)

概述

产品名称	Anti-Peptide YY/PYY抗体
描述	兔多克隆抗体to多肽YY/PYY
宿主	Rabbit
特异性	Immunostaining may be abolished by preincubation with 1nmol synthetic porcine PYY per mL diluted antibody. NPY and PP (10nmol/mL) have no effect on immunostaining.
经测试应用	适用于: IHC-FoFr, IHC-P
种属反应性	与反应: Mouse, Rat 预测可用于: Rabbit, Dog, Human 
免疫原	Full length native protein (purified) corresponding to Pig Peptide YY/PYY aa 1-36. Sequence: YPAKPEAPGE DASPEELSR YASLRHYLNL VTRQRY

Database link: [P68005](#)

 [Run BLAST with](#)

 [Run BLAST with](#)

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	Preservative: 0.07% Sodium azide
纯度	Whole antiserum
克隆	多克隆

同种型

IgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab22663于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-FoFr		Use at an assay dependent concentration.
IHC-P	★★★★★ (4)	Use at an assay dependent concentration.

靶标

功能	This gut peptide inhibits exocrine pancreatic secretion, has a vasoconstrictory action and inhibits jejunal and colonic mobility.
序列相似性	Belongs to the NPY family.
细胞定位	Secreted.


图片



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Peptide YY/PYY antibody (ab22663)

Image courtesy of Carl Hobbs, Kings College London, U.K.


IHC image of Peptide YY/PYY staining in mouse colon formalin fixed paraffin embedded tissue section. Antigen retrieval was heat mediated with citrate and sections were blocked in 1% B.S.A for 10 minutes at 21°C. Sample was incubated in primary antibody at 1/9000 for 2 hours and a biotin conjugated goat-anti-rabbit secondary was used at 1/250.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Peptide YY/PYY antibody (ab22663)


Image courtesy of Carl Hobbs, Kings College London, U.K.

IHC image of Peptide YY/PYY staining in rat pancreas formalin fixed paraffin embedded tissue section. Antigen retrieval was heat mediated with citrate and sections were blocked in 1% B.S.A for 10 minutes at 21°C. Sample was incubated in primary antibody at 1/9000 for 2 hours and a biotin conjugated goat-anti-rabbit secondary was used at 1/250.



Immunohistochemistry (PFA perfusion fixed frozen sections) - Anti-Peptide YY/PYY antibody (ab22663)

Adjacent de-waxed sections of Bouin-fixed fetal (14 day) rat pancreas stained with rabbit polyclonal antisera to PYY (ab22663; panel a) and glucagon ([ab18461](#); panel b). Arrows indicate identical cell profiles. From Ali-Rachedi et al, 1984.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Peptide YY/PYY antibody (ab22663)

Image from Acosta A et al., PLoS One. 2011;6(10):e26137. Epub 2011 Oct 10. Fig 2.; doi:10.1371/journal.pone.0026137; October 10, 2011, PLoS ONE 6(10): e26137.

ab22663 staining Peptide YY/PYY (green) in murine pancreas tissue by Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections).

Tissue (left, WT; right, Peptide YY/PYY KO) was fixed with paraformaldehyde and blocked with 3% H₂O₂ in methanol, followed by antigen retrieval with trypsin. Samples were incubated with primary antibody (1/2000 in TNT) overnight. An AlexaFluor®488-conjugated donkey anti-rabbit IgG (1/1000 in TNT) was used as the secondary antibody. Nuclei were stained with DAPI (red).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors