abcam

Product datasheet

PerCP Anti-CD11a antibody [TP1/40] ab91140

1 图像

概述

产品名称 PerCP荧光Anti-CD11a抗体[TP1/40]

描述 PerCP荧光小鼠单克隆抗体[TP1/40] to CD11a

宿主 Mouse

偶联物 PerCP. Ex: 482nm, Em: 675nm

 经测试应用
 适用于: Flow Cyt

 种属反应性
 与反应: Human

免疫原 Tissue, cells or virus corresponding to CD11a. PMA and lonomycin activated T cells blast

(Human)

阳性对照 EDTA-anticoagulated blood (lymphocytes, granulocytes, monocytes and macrophages).

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C.

存储溶液 pH: 7.2

Preservative: 0.1% Sodium azide

Constituent: 0.164% Sodium phosphate

纯**度** Immunogen affinity purified

 克隆
 单克隆

 克隆编号
 TP1/40

 同种型
 IgG1

田幼

1

The Abpromise guarantee

Abpromise™承诺保证使用ab91140于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use 20µl for 10 ⁶ cells. ab118658 - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody.

靶标

功能 Integrin alpha-L/beta-2 is a receptor for ICAM1, ICAM2, ICAM3 and ICAM4. It is involved in a

variety of immune phenomena including leukocyte-endothelial cell interaction, cytotoxic T-cell

mediated killing, and antibody dependent killing by granulocytes and monocytes.

组织特异性 Leukocytes.

序列相似性 Belongs to the integrin alpha chain family.


Contains 7 FG-GAP repeats.
Contains 1 VWFA domain.

结**构域** The integrin I-domain (insert) is a VWFA domain. Integrins with I-domains do not undergo

protease cleavage.

细胞定位 Membrane.

图片



Flow cytometry analysis of CD11a expression in normal Human peripheral blood using ab91140 at 20µl/10⁶ cells.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors