abcam

Product datasheet

Anti-PITPNC1 antibody ab68013

1 图像

概述

产**品名称** Anti-PITPNC1抗体

描述 小鼠多克隆抗体to PITPNC1

宿主 Mouse

特异性 This antibody is reactive against mammalian transfected lysate.

经测试应用 适用于: WB

种属反应性 与反应: Human

免疫原 Recombinant full length protein within Human PITPNC1. The exact immunogen sequence used to

generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please **contact** our Scientific Support

team to discuss your requirements.

阳性对照 PITPNC1 transfected 293T cell lysate

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

存储溶液 pH: 7.40

Constituent: PBS

纯**度** Protein A purified

克隆 多克隆

同种型 IgG

1

The Abpromise guarantee

Abpromise™承诺保证使用ab68013于以下的经测试应用


"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/1000. Detects a band of approximately 32 kDa (predicted molecular weight: 38 kDa).

靶标

功能	Phosphatidylinositol transfer proteins mediate the monomeric transport of lipids by shielding a lipid from the aqueous environment and binding the lipid in a hydrophobic cavity. Able to transfer phosphatidylinositol in vitro.	
组织 特异性	Ubiquitously expressed.	
序列相似性	Belongs to the PtdIns transfer protein family. PI transfer class IIB subfamily.	
细胞定位	Cytoplasm.	

图片



All lanes: Anti-PITPNC1 antibody (ab68013) at 1/500 dilution

Lane 1: PITPNC1 transfected 293T cell lysate

Lane 2: Non-transfected 293T cell lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes: Goat Anti-Mouse IgG (H&L)-HRP Conjugate at 1/2500

dilution

Predicted band size: 38 kDa Observed band size: 32 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors