

# Anti-Polyethylene glycol antibody [26A04] - BSA and Azide free ab94764

★★★★★ [1 Abreviews](#) [7 References](#) [2 图像](#)

### 概述

产品名称	Anti-Polyethylene glycol抗体[26A04] - BSA and Azide free
描述	大鼠单克隆抗体[26A04] to Polyethylene glycol - BSA and Azide free
宿主	Rat
特异性	ab94764 recognizes linear 20 kDa PEG, linear 5 kDa PEG, linear 600 Da PEG and 10 kDa branched PEG. It also binds to BSA conjugated PEG by western blot.
经测试应用	<b>适用于:</b> WB, Indirect ELISA
种属反应性	<b>与反应:</b> Species independent
免疫原	5 kDa PEG conjugated to KLH by a MBS linker.
阳性对照	PEGylated protein
常规说明	Tween 20 usage: Tween 20 is a detergent that can interfere with ELISA and potentially other applications (often used in antibody dilution buffers, such as TBST) when using anti-PEG products. This is also the same case for other polyoxyethylene detergents. Therefore, it is recommended to avoid Tween 20 and other polyoxyethylene detergents when performing ELISA using anti-PEG products.

**Learn more about PEG RabMAb primary antibodies and kit - [PEG RabMAb Product Portal Page](#)**

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.

存储溶液	Constituent: Tris buffered saline
无载体	是
纯化说明	Ceramic hydroxyapatite (CHT) chromatography from in vitro production.
克隆	单克隆
克隆编号	26A04
同种型	IgM

应用


The Abpromise guarantee
Abpromise™承诺保证使用ab94764于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		Use at an assay dependent concentration. Predicted molecular weight: 1 kDa.
Indirect ELISA		Use a concentration of 2 µg/ml.

靶标

图片



Indirect ELISA analysis of a PEG panel using ab94764.



Anti-Polyethylene glycol antibody [26A04] - BSA and Azide free (ab94764) + PEGylated protein

**Predicted band size:** 1 kDa

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors