# abcam

### Product datasheet

## Anti-Prostate Specific Antigen antibody [EP1588Y] - Low endotoxin, Azide free ab215983



重组 RabMAb

5 References 3 图像

概述

产品名称 Anti-Prostate Specific Antigen抗体[EP1588Y] - Low endotoxin, Azide free

描述 兔单克隆抗体[EP1588Y] to Prostate Specific Antigen - Low endotoxin, Azide free

宿主 Rabbit

特异性 The antibody provided good results in western blot when tested in human prostate lysate.

> Unfortunately, when 22RV1 cell lysate was used no band was detected and inconsistent results were obtained with LNCaP cell lysate (where different lots of cell lysate were used for the test).

Please contact our Scientific Support if you have any feedback and/or questions.

经测试应用 适用于: mIHC, IHC-P, WB

种属反应性 与反应: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 WB: Human prostate carcinoma tissue lysate. IHC-P: Human prostate cancer tissue.

常规说明 ab215983 is the carrier-free version of ab76113.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® patents.

1

Our <u>Low endotoxin, azide-free formats</u> have low endotoxin level (≤ 1 EU/ml, determined by the LAL assay) and are free from azide, to achieve consistent experimental results in functional assays.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.


性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle.

解离常数( $K_D$ )  $K_D = 5.04 \times 10^{-10} M$ 



Learn more about K<sub>D</sub>

**存储溶液** pH: 7.20

Constituent: PBS

**无载体** 是

纯**度** Protein A purified

**克隆** 单克隆 **克隆编号** EP1588Y

**同种型** IgG

应用

#### The Abpromise guarantee

Abpromise™承诺保证使用ab215983于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
mIHC		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. See IHC antigen retrieval protocols.
WB		Use at an assay dependent concentration. Detects a band of approximately 34 kDa (predicted molecular weight: 29 kDa).

靶标

功能

Hydrolyzes semenogelin-1 thus leading to the liquefaction of the seminal coagulum.


#### 图片



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Prostate Specific Antigen antibody [EP1588Y] - Low endotoxin, Azide free (ab215983)

This data was developed using <u>ab76113</u>, the same antibody clone in a different buffer formulation.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human prostate cancer tissue sections labeling Prostate Specific Antigen with purified <u>ab76113</u> at 1/1000 dilution (0.51 µg/mL). Heat mediated antigen retrieval using Bond ™ Epitope Retrieval Solution 2 (pH 9.0). Rabbit specific IHC polymer detection kit HRP/DAB (<u>ab209101</u>) was used as the secondary antibody. Negative control: PBS instead of the primary antibody. Hematoxylin was used as a counterstain.




Ol-RD Scanning - Anti-Prostate Specific Antigen antibody [EP1588Y] - Low endotoxin, Azide free (ab215983)

Equilibrium disassociation constant ( $K_D$ ) Learn more about  $K_D$ 

#### Click here to learn more about K<sub>D</sub>

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab76113).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors