abcam

Product datasheet

Anti-PRR9 antibody ab121953

2 图像

概述

产品名称 Anti-PRR9抗体

描述 兔多克隆抗体to PRR9

宿主 Rabbit

经测试应用 适用于: ICC/IF, IHC-P

种属反应性 与反应: Human

免疫原 antigen sequence: QCQAKAEEVC LPTCQHPCQD KCLVQAQEVC LSQCQESSQE

KCPQQGQEPY LPPCQDQCPP QCAEPCQELF QTKCVEVCPQ KVQEKCSSPG, corresponding to amino acids 24-113 of Human NKIAMRE (UniProt ID: Q5T870).

Run BLAST with EXPASY MRun BLAST with S NCBI

阳性对照 Human placenta tissue

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.

存储溶液 pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 IgG

应用

1

The Abpromise guarantee


Abpromise™承诺保证使用ab121953于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		Use a concentration of 1 - 4 µg/ml. Recommend PFA Fixation and Triton X-100 treatment
IHC-P		1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

靶标

图片



Immunocytochemistry/ Immunofluorescence - Anti-PRR9 antibody (ab121953) Immunofluorescent staining of Human cell line A-431 shows positivity in nucleus but not nucleoli and cytoplasm. Recommended concentration of ab121953 1-4 μ g/ml. Cells treated with PFA/Triton X-100.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-PRR9 antibody (ab121953)

ab121953, at a 1/300 dilution staining NKIAMRE in paraffin emebedded Human placenta tissue by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors